台灣癌症登記中心通知

急件

發件人: 台灣癌症登記中心 電 話: 02-2341-6012

傳 真: 02-2351-1733

地 址: 100台北郵政84-310信箱

日 期: 107年6月5日 編 號: 癌登第107003號

收文者: 所有申報醫院

副本收文者:衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份

有限公司

主 題: 因應107年癌症登記實務作業之需求,請 貴院依說明段辦理

☑ 急件

☑ 請檢閱

□請加註

□請回覆

□請回收

- 一、 本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、 依據最新 WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2017)彙整而成。因 2000 年出版之 ICD-O-3 編碼不敷使用,且現行病理 報告按最新組織型態記載,故提供最新病理組織型態編碼供醫院使用(附件更新自 癌登 107001 號通知文內容),WHO 2017 年新增編碼請於 2017 診斷年個案開始 適用。注意事項如下:
 - (1) 新增性態碼為 1(非惡性)的血液腫瘤編碼,原 ICD-O-3 無此類組織型態碼,僅 提供參考用,請勿申報。
 - (2) 新增編碼 9715/3 Anaplstic large cell lymphoma, ALK-negative (原 ICD-O-3 編碼為 9702/3)、9715/3 Breast implant-associated anaplastic large cell lymphoma、9749/3 Erdheim-Chester disease、9819/3 B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like、9877/3 AML with mutated NPM1 (原 ICD-O-3 編碼為 9861/3)、9878/3 AML with biallelic mutation of CEBPA (原 ICD-O-3 編碼為 9861/3)、9879/3 AML with mutated RUNX1、9912/3 AML with BCR-ABL1、9968/3 Myeloid/lymphoid neoplasms with PCM1-JAK2、9993/3 Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia。

(3) 性態碼 3 (惡性)變為 1 (非惡性)的血液腫瘤編碼如下:

WHO 2008			WHO 2017		
	Cutaneous T-cell lymphoma, NOS (C44)		Primary cutaneous acral CD8-positive T-cell lymphoma		
	Primary cutaneous CD8-positive	97093	Primary cutaneous CD8-positive		
97093	aggressive epidermotropic cytotoxic T-cell lymphoma		aggressive epidermotropic cytotoxic T-cell lymphoma		
	Primary cutaneous CD4-positive	97091	Primary cutaneous CD4-positive		
	small/medium T-cell lymphoma		small/medium T-cell lymphoproliferative disorder		
	Lymphomatoid papulosis (C44)	97181	Lymphomatoid papulosis (C44)		
	Primary cutaneous CD30-positive T-		Primary cutaneous CD30-positive T-		
97183	cell lymphoproliferative disorders (C44)	97183	cell lymphoproliferative disorders (C44.)		
	Primary cutaneous anaplastic large cell lymphoma (C44)		Primary cutaneous anaplastic large cell lymphoma (C44)		
97253	Hydroa vacciniforme-like lymphoma		Hydroa vacciniforme-like lymphoproliferative disorder		
	Langerhans cell histiocytosis, NOS		Langerhans cell histiocytosis, NOS		
	Langerhans cell histiocytosis, mono- ostotic	97511	Langerhans cell histiocytosis, monostotic		
97513	Langerhans cell histiocytosis, polyostotic		Langerhans cell histiocytosis, polystotic		
	Langerhans cell histiocytosis, disseminated	97513	Langerhans cell histiocytosis, disseminated		
99713	Polymorphic post-transplant	99711	Polymorphic post-transplant		
33113	lymphoproliferative disorder	וו זפט	lymphoproliferative disorder		

三、 ICD-O-3 組織型態編碼:

- (1) 新增 8801/3-8804/3 New term,即 Undifferentiated (未分化) 描述。
- (2) 原編碼 9871/3 Acute myeloid leukemia, t(16;16)(p13;q11)有誤,請修正為 Acute myeloid leukemia, t(16;16)(p13;q22)。

四、 依癌登中心諮詢病理專家意見:

- (1)修正 8830/3 Undifferentiated high-grade pleomorphic sarcoma 於原發部位為 BONE 適用;若發生於其他部位,則以 8802/3 Undifferentiated pleomorphic sarcoma 申報。
- (2)有關惡性腦膜瘤個案(M-code 953),其發生部位應編碼為腦膜(C70 Meminges)。



Status	ICD-O-3	Term
New term	8010/3	Urachal carcinoma (C65.9, C66.9, C67, C68)
New term	8020/3	Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67, C68)
New term	8020/3	Anaplastic thyroid carcinoma (C73.9)
New code and term	8023/3	NUT carcinoma (C30.0, C31, C34, C37.9)
New term	8041/3	High-grade neuroendocrine carcinoma (C54, C55.9)
New term	8041/3	Neuroendocrine carcinoma, poorly differentiated (C50)
New term	8041/3	Small cell carcinoma, pulmonary type (C56.9)
New term	8044/3	Small cell carcinoma, hypercalcaemic type (C56.9)
New code and term	8054/3	Warty carcinoma (C60) [originally 8051/3]
New code and term	8054/3	Condylomatous carcinoma (C60) [originally 8051/3]
New behavior code and term	8071 /2	Differentiated-type vulvar intraepithelial neoplasia (C51)
		Differentiated penile intraepithelial neoplasia (C60)
New term	8077/2	Penile intraepithelial neoplasia (C60)
New term	8077/2	Oral epithelial dysplasia, high grade (C00, C02, C03, C04, C05, C06)
New code and term	8085/3	Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09, C10, C31)
New code and term	8086/3	Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09, C10, C31)
New term	8120/3	Squamotransitional cell carcinoma (C53)
New term	8140/3	Parathyroid carcinoma (C75.0)
New term	8140/3	Endolymphatic sac tumor (C30.1)
New term	8144/3	Enteric adenocarcinoma (C34, C65.9, C66.9, C67, C68)
New term	8144/3	Mucinous carcinoma, intestinal type (C53)
Behavior code change (0→3)	8151 /3	Insulinoma (C25)
Behavior code change (1→3)	8152 /3	Glucagonoma (C25)
Behavior code change (1→3)	8153 /3	Gastrinoma (C25)
New term	8154/3	Mixed ductal-neuroendocrine carcinomas (C25)
New term	8154/3	Mixed acinar-neuroendocrine carcinomas (C25)
Behavior code change (1→3)	8155 /3	VIPoma (C25)

Status	ICD-O-3	Term
Behavior code change (1→3)	8156 /3	Somatostatinoma (C25)
New behavior code and term	8158 /3	ACTH-producing tumour with Cushing syndrome (C25)
Behavior code change (1→3)	8158 /3	ACTH-producing tumour (C25)
New term	8200/3	Thymic carcinoma with adenoid cystic carcinoma-like features (C37.9)
New term	8241/3	Serotonin-producing tumour with and without carcinoid syndrome (C25)
New behavior code and term	8250 /2	Adenocarcinoma in situ, non-mucinous (C34)
New term	8250/3	Lepidic adenocarcinoma (C34)
New behavior code and term	8253 /2	Adenocarcinoma in situ, mucinous (C34)
New term	8253/3	Invasive mucinous adenocarcinoma (C34)
New term	8254/3	Mixed invasive mucinous and non-mucinous adenocarcinoma (C34)
New code and term	8256/3	Minimally invasive adenocarcinoma, non-mucinous (C34)
New code and term	8257/3	Minimally invasive adenocarcinoma, mucinous (C34)
New term	8263/3	Endometrioid adenocarcinoma, villoglandular (C54, C55.9)
New term	8263/3	Villoglandular carcinoma (C53)
New term	8265/3	Micropapillary adenocarcinoma (C34)
New code and term	8273/3	Pituitary blastoma (C75.1)
New code and term	8311/3	Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma (C64.9)
		MiT family translocation renal cell carcinomas (C64.9)
		Succinate dehydrogenase-deficient renal carcinoma (C64.9)
New term	8316/3	Acquired cystic disease-associated renal cell carcinoma (C64.9)
Debeuden ee de alconoc (2 x 4)	00004	Tubulocystic renal cell carcinoma (C64.9)
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]
New term	8330/3	Follicular thyroid carcinoma (FTC), widely invasive (C73.9)
New term	8337/3	Poorly differentiated thyroid carcinoma (C73.9)
New code and term	8339/3	Follicular thyroid carcinoma (FTC), encapsulated angioinvasive (C73.9)
New term	8342/3	Oncocytic variant of papillary thyroid carcinoma (PTC) (C73.9)
New term	8345/3	Medullary thyroid carcinoma (C73.9)
New code and term	8349/1	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (C73.9) [nonreportable]

Status	ICD-O-3	Term
New behavior code and term	8380 /2	Atypical hyperplasia / Endometrioid intraepithelial neoplasia (C54)
New term	8430/3	Sclerosing mucoepidermoid carcinoma with eosinophilia (C73.9)
New behavior code and term	8441 /2	Serous tubal intraepithelial carcinoma (C57.0)
New behavior code and term	8441 /2	Serous endometrial intraepithelial carcinoma (C54)
New behavior code and term	8460 /2	Serous borderline tumour - micropapillary variant (C56.9)
New behavior code and term	8460 /2	Non-invasive low-grade serous carcinoma (C56.9)
New term	8460/3	Low-grade serous carcinoma (C48, C56.9, C57)
New term	8461/3	High-grade serous carcinoma (C48, C56.9, C57)
New code and term	8474/3	Seromucinous carcinoma (C56.9)
New term	8480/3	Mucinous tubular and spindle cell carcinoma (C64.9)
New term	8482/3	Mucinous carcinoma, gastric type (C53)
New term	8500/3	Adenocarcinoma of mammary gland type (C51)
New term	8502/3	Secretory carcinoma (C07, C08)
New term	8504/2	Encapsulated papillary carcinoma (C50)
New term	8504/3	Encapsulated papillary carcinoma with invasion (C50)
New behavior code and term	8507 /3	Invasive micropapillary carcinoma (C50)
New code and term	8509/2	Solid papillary carcinoma in situ (C50)
New code and term	8509/3	Solid papillary carcinoma invasive (C50)
New term	8510/3	Renal medullary carcinoma (C64.9)
New code and term	8519/2	Pleomorphic lobular carcinoma in situ (C50)
New term	8551/3	Acinar adenocarcinoma (C34)
New term	8570/3	Endometrioid carcinoma with squamous differentiation (C54)
New term	8570/3	Low grade adenosquamous carcinoma (C50)
New term	8571/3	Metaplastic carcinoma with chondroid differentiation (C50)
New term	8571/3	Metaplastic carcinoma with osseous differentiation (C50)
New term	8572/3	Fibromatosis-like metaplastic carcinoma (C50)
New term	8572/3	Acinar adenocarcinoma, sarcomatoid (C61.9)
New term	8580/3	Metaplastic thymoma / Sclerosing thymoma (C37.9)

Status	ICD-O-3	Term
New term	8580/3	Ectopic thymoma (C73.9)
Behavior code change (1→3)	8581/3	Type A thymoma, including atypical variant (C37.9)
Behavior code change (1→3)	8582/3	Type AB thymoma (C37.9)
Behavior code change (1→3)	8583/3	Type B1 thymoma (C37.9)
Behavior code change (1→3)	8584/3	Type B2 thymoma (C37.9)
Behavior code change (1→3)	8585/3	Type B3 thymoma (C37.9)
New term	8589/3	Intrathyroid thymic carcinoma (C73.9)
Behavior code change (1→3)	8690 /3	Middle ear paraganglioma (C75.5)
Behavior code change (1→3)	8692 /3	Carotid body paraganglioma (C75.4)
New term	8693/3	Vagal paraganglioma (C75.5)
New term	8693/3	Laryngeal paraganglioma (C75.5)
New term	8693/3	Sympathetic paragangliomas (C75.5)
New term	8693/3	Composite paraganglioma (C75.5)
New term	8693/3	Paraganglioma (C73.9, C75.1)
Behavior code change (0→3)	8700 /3	Pheochromocytoma (C74.1)
New term	8700/3	Composite pheochromocytoma (C74.1)
New code and term	8714/3	Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C34, C47, C49, C54)
		Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67, C68)
New term	8801/3	Undifferentiated spindle cell sarcoma (C47, C49)
New term	8802/3	Undifferentiated pleomorphic sarcoma (C47, C49)
New term	8803/3	Undifferentiated round cell sarcoma (C47, C49)
New term	8804/3	Undifferentiated epithelioid sarcoma (C47, C49)
New term	8815/3	Solitary fibrous tumor, grade 3 (C70, C71, C72)
New behavior code and term	8825 /3	Low-grade myofibriblastic sarcoma (C47, C49)
New behavior code and term	8825/ 3	Myofibroblastic sarcoma
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma of bone (C40, C41)
Behavior code change (3→1)	8832/1	Dermatofibrosarcoma protuberans (C47, C49)

Status	ICD-O-3	Term
New term	8832/3	Fibrosarcomatous dermatofibrosarcoma protuberans (C47, C49)
Behavior code change (3→1)	8833/1	Pigmented dermatofibrosarcoma protuberans (C47, C49)
New term	8840/3	Low-grade fibromyxoid sarcoma (C47, C49)
		Sclerosing epithelioid fibrosarcoma (C47, C49)
New behavior code and term	8842 /3	Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34)
		Ossifying fibromyxoid tumour, malignant (C47, C49)
New term	8912/3	Sclerosing rhabdomyosarcoma
New term	8936/3	Extra-gastrointestinal stromal tumour (C48)
New term	8963/3	Extra-renal rhabdoid tumour (C47, C49)
New behavior code and term	8983 /3	Adenomyoepithelioma with carcinoma (C50)
New term	8990/3	Phosphaturic mesenchymal tumor, malignant
New term	9020/3	Periductal stromal tumor, low grade (C50)
New code and term	9045/3	Biphenotypic sinonasal sarcoma (C30.0, C31)
Behavior code change (3→1)	9080/1	Immature teratoma (grade 2) (C73.9)
New term	9081/3	Teratocarcinosarcoma (C30.0, C31)
New term	9084/3	Germ cell tumours with sometic-type solid malignancy (C37.9)
New code and term	9086/3	Germ cell tumours with associated haematological malignancy (C37.9)
New term	9110/3	Adenocarcinoma of rete ovarii (C56.9)
Behavior code change (1→3)	9133 /3	Epithelioid hemangioendothelioma (C30.0, C31)
New code and term	9137/3	Pulmonary artery intimal sarcoma (C34)
		Intimal sarcoma (C47, C49)
New term	9180/3	Extraskeletal osteosarcoma (C47, C49)
New term	9187/3	Low-grade central / intramedullary osteosarcoma (C40, C41)
New term	9220/3	Chondrosarcoma, grade 2/3 (C12.9, C13, C14, C32, C33.9, C41.0, C41.1)
New code and term	9222/1	Chondrosarcoma, grade 1 (C12.9, C13, C14, C32, C33.9, C41.0, C41.1)
New term	9231/3	Extraskeletal myxoid chondrosarcoma (C47, C49)
New term	9270/3	Sclerosing odontogenic carcinoma (C41.0, C41.1)
New behavior code and term	9302/ 3	Ghost cell odontogenic carcinoma (C41.0, C41.1)

Status	ICD-O-3	Term
New term	9330/3	Odontogenic sarcomas (C41.0, C41.1)
New behavior code and term	9341/ 3	Clear cell odontogenic carcinoma (C41.0, C41.1)
New code and term	9385/3	Diffuse midline glioma, H3 K27M-mutant (C71)
New behavior code and term	9391 /1	Sellar ependymoma (C75.1) [nonreportable]
New code and term	9396/3	Ependymoma, RELA fusion-positive (C71)
New term	9400/3	Diffuse astrocytoma, IDH-mutant / IDH-wildtype (C71)
New term	9401/3	Anaplastic astrocytoma, IDH-mutant / IDH-wildtype (C71)
New term	9424/3	Anaplastic pleomorphic xanthoastrocytoma (C71)
New term	9440/3	Epithelioid glioblastoma (C71)
New term	9440/3	Glioblastoma, IDH-wildtype (C71)
New code and term	9445/3	Glioblastoma, IDH-mutant (C71)
New term	9450/3	Oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71)
New term	9451/3	Anaplastic oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71)
New term	9470/3	Medulloblastoma, classic
New term	9471/3	Medulloblastoma, SHH-activated and TP53-wildtype (C71)
New term	9473/3	CNS embryonal tumour, NOS (C71)
New code and term	9475/3	Medulloblastoma, WNT-activated(C71)
New code and term	9476/3	Medulloblastoma, SHH-activated and TP53-mutant (C71)
New code and term	9477/3	Medulloblastoma, non-WNT/non-SHH (C71)
		Medulloblastoma, group 3 / group 4 (C71)
New code and term	9478/3	Embryonal tumour with multilayered rosettes, C19MC-altered (C71)
		Embryonal tumour with multilayered rosettes, NOS (C71)
New term	9490/3	Ganglioneuroblastoma, nodular (C74.1)
New term	9490/3	Ganglioneuroblastoma, intermixed (C74.1)
New term	9508/3	CNS embryonal tumour with rhabdoid features (C71)
New term	9540/3	MPNST with perineurial differentiation (C72)
New code and term	9542/3	Epithelioid malignant peripheral nerve sheath tumour (C47, C49)
New behavior code and term	9591/ 1	Monoclonal B-cell lymphocytosis, non-CLL-type

Status	ICD-O-3	Term
New behavior code and term	9673/1	In situ mantle cell neoplasia
New behavior code and term	9680/ 1	EBV-positive mucocutaneous ulcer
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Germinal centre B-cell subtype
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Activated B-cell subtype
New term	9680/3	Fibrin-associated diffuse large B-cell lymphoma
New term	9680/3	High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements
New term	9680/3	High-grade B-cell lymphoma, NOS
New term	9687/3	Burkitt-like lymphoma with 11q aberration
New term	9690/3	Testicular follicular lymphoma
		Paediatric-type follicular lymphoma
New behavior code and term	9695/ 1	In situ follicular neoplasia
New term	9695/3	Duodenal-type follicular lymphoma
New term	9698/3	Large B-cell lymphoma with IRF4 rearrangement
New behavior code and term	9702/ 1	Indolent T-cell lymphoproliferative disorder of the gastrointestinal tract
New term	9702/3	Follicular T-cell lymphoma
		Nodal peripheral T-cell lymphoma with T follicular helper phenotype
Behavior code change (3→1)	9709/1	Primary cutaneous CD4-positive small/medium T-cell lymphoproliferative disorder
New term	9709/3	Primary cutaneous acral CD8-positive T-cell lymphoma
New code and term	9715/3	Anaplstic large cell lymphoma, ALK-negative [originally 9702/3]
		Breast implant-associated anaplastic large cell lymphoma
New term	9717/3	Monomorphic epitheliotropic intestinal T-cell lymphoma
Behavior code change (3→1)	9718/ 1	Lymphomatoid papulosis (C44)
Behavior code change (3→1)	9725/ 1	Hydroa vacciniforme-like lymphoproliferative disorder
New behavior code and term	9738/ 1	HHV8-positive germinotropic lymphoproliferative disorder
New code and term	9749/3	Erdheim-Chester disease
Behavior code change (3→1)	9751/ 1	Langerhans cell histiocytosis, NOS
		Langerhans cell histiocytosis, monostotic
		Langerhans cell histiocytosis, polystotic

Status	ICD-O-3	Term
New behavior code and term	9761/ 1	IgM monoclonal gammopathy of undetermined significance
New term	9765/1	Non-IgM monoclonal gammopathy of undetermined significance
New term	9766/1	Lymphomatoid granulomatosis, grade 1, 2
New behavior code and term	9766 /3	Lymphomatoid granulomatosis, grade 3
New term	9769/1	Light chain and heavy chain deposition diseases
		Monoclonal immunoglobulin deposition diseases
New term	9807/3	Mixed-phenotype acute leukaemia with t(v; 11q23.3); KMT2A-rearranged
New term	9811/3	B-lymphoblastic leukaemia/lymphoma with iAMP21
New term	9813/3	B-lymphoblastic leukaemia/lymphoma with t(v; 11q23.3); KMT2A-rearranged
New code and term	9819/3	B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
New behavior code and term	9823/1	Monoclonal B-cell lymphocytosis, CLL-type
New term	9840/3	Pure erythroid leukaemia
New term	9869/3	AML with inv(3)(q21.3q26.2) or t(3;3)(q21.3;q26.2); GATA2, MECOM
New code and term	9877/3	AML with mutated NPM1 [originally 9861/3]
New code and term	9878/3	AML with biallelic mutation of CEBPA [originally 9861/3]
New code and term	9879/3	AML with mutated RUNX1
New term	9897/3	AML with t(9;11)(p21.3;q23.3); KMT2A -MLLT3
New code and term	9912/3	AML with BCR-ABL1
New term	9966/3	Myeloid/Iymphoid neoplasms with PDGFRB
New code and term	9968/3	Myeloid/lymphoid neoplasms with PCM1-JAK2
Behavior code change (3→1)	9971/ 1	Polymorphic PTLD
New term	9980/3	Myelodysplastic syndrome with single lineage dysplasia
New term	9982/3	Myelodysplastic/myeloproliferative neoplasm with ring siderolasts and thrombocytosis
		Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
New term	9983/3	Myelodysplastic syndrome with excess blasts
New term	9985/3	Myelodysplastic syndrome with multilineage dysplasia
New code and term	9993/3	Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

說明:綠色網底表示為本次新增編碼與修訂敘述。