

台灣癌症登記中心通知

急件

發件人： 台灣癌症登記中心
電話： 02-2341-6012
傳真： 02-2351-1733
地址： 100 台北郵政 84-310 信箱
日期： 107 年 8 月 1 日
編號： 癌登第 107004 號

收文者： 所有申報醫院

副本收文者： 衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份有限公司

主題： 因應107年癌症登記實務作業之需求，請 貴院依說明段辦理

急件 請檢閱 請加註 請回覆 請回收

- 一、 本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、 依據本中心諮詢專家意見以及參考 SEER Inquiry System，有部分需修正的編碼或
不需申報的個案，說明如下：

- (1) 修正原 8311/3 Succinate dehydrogenase-deficient renal carcinoma (C64.9)，
應編碼為 8312/3 較為適宜。(請見附件一)

Question：

What is the correct ICD-O-3 histology code for Succinate dehydrogenase-deficient renal carcinoma of kidney?

Answer：

Per WHO 4th Ed Urinary Tumors, Succinate dehydrogenase-deficient renal carcinoma of kidney is extremely rare. A specific ICD-O code has not been assigned to this histology. Code the case to renal cell carcinoma, NOS (8312/3).

- (2) Low-grade appendiceal mucinous neoplasm (LAMN) (C18.1) 個案不需申報
至癌登中心。

Question 20180032：

Is low-grade appendiceal mucinous neoplasm (LAMN) reportable for 2018?
It is staged as pTis(LAMN) AJCC 8th ed by pathologist.

Answer：

Low-grade appendiceal mucinous neoplasm (LAMN) is not reportable in

2018. See page 6, <https://20tqtx36s1la18rvn82wcmpn-wpengine.netdna-ssl.com/wp-content/uploads/2018/02/2018-ICD-O-3-Coding-Table-Alpha-order-.pdf>. Use cancer registry reportability instructions to determine reportability. Do not use the AJCC TNM manual to determine reportability.

三、依據癌登第 107003 號通知文有關 2017 年 WHO 出版血液腫瘤藍皮書內容，為能落實癌症登記資料收錄之正確性與完整性，中華民國血液病學會已協助增修「血液腫瘤診斷檢核表」（請見附件二），以提供所有癌登醫院使用。

台灣癌症登記中心
Taiwan Cancer Registry

Status	ICD-O-3	Term
New term	8010/3	Urachal carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	Anaplastic thyroid carcinoma (C73.9)
New code and term	8023/3	NUT carcinoma (C30.0, C31._, C34._, C37.9)
New term	8041/3	High-grade neuroendocrine carcinoma (C54._, C55.9)
New term	8041/3	Neuroendocrine carcinoma, poorly differentiated (C50._)
New term	8041/3	Small cell carcinoma, pulmonary type (C56.9)
New term	8044/3	Small cell carcinoma, hypercalcaemic type (C56.9)
New code and term	8054/3	Warty carcinoma (C60._) [originally 8051/3]
New code and term	8054/3	Condylomatous carcinoma (C60._) [originally 8051/3]
New behavior code and term	8071/2	Differentiated-type vulvar intraepithelial neoplasia (C51._) Differentiated penile intraepithelial neoplasia (C60._)
New term	8077/2	Penile intraepithelial neoplasia (C60._)
New term	8077/2	Oral epithelial dysplasia, high grade (C00._, C02._, C03._, C04._, C05._, C06._)
New code and term	8085/3	Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)
New code and term	8086/3	Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)
New term	8120/3	Squamotransitional cell carcinoma (C53._)
New term	8140/3	Parathyroid carcinoma (C75.0)
New term	8140/3	Endolymphatic sac tumor (C30.1)
New term	8144/3	Enteric adenocarcinoma (C34._, C65.9, C66.9, C67._, C68._)
New term	8144/3	Mucinous carcinoma, intestinal type (C53._)
Behavior code change (0→3)	8151/3	Insulinoma (C25._)
Behavior code change (1→3)	8152/3	Glucagonoma (C25._)
Behavior code change (1→3)	8153/3	Gastrinoma (C25._)
New term	8154/3	Mixed ductal- neuroendocrine carcinomas (C25._)
New term	8154/3	Mixed acinar- neuroendocrine carcinomas (C25._)
Behavior code change (1→3)	8155/3	VIPoma (C25._)

Status	ICD-O-3	Term
Behavior code change (1→3)	8156/3	Somatostatinoma (C25._)
New behavior code and term	8158/3	ACTH-producing tumour with Cushing syndrome (C25._)
Behavior code change (1→3)	8158/3	ACTH-producing tumour (C25._)
New term	8200/3	Thymic carcinoma with adenoid cystic carcinoma-like features (C37.9)
New term	8241/3	Serotonin-producing tumour with and without carcinoid syndrome (C25._)
New behavior code and term	8250/2	Adenocarcinoma in situ, non-mucinous (C34._)
New term	8250/3	Lepidic adenocarcinoma (C34._)
New behavior code and term	8253/2	Adenocarcinoma in situ, mucinous (C34._)
New term	8253/3	Invasive mucinous adenocarcinoma (C34._)
New term	8254/3	Mixed invasive mucinous and non-mucinous adenocarcinoma (C34._)
New code and term	8256/3	Minimally invasive adenocarcinoma, non-mucinous (C34._)
New code and term	8257/3	Minimally invasive adenocarcinoma, mucinous (C34._)
New term	8263/3	Endometrioid adenocarcinoma, villoglandular (C54._, C55.9)
New term	8263/3	Villoglandular carcinoma (C53._)
New term	8265/3	Micropapillary adenocarcinoma (C34._)
New code and term	8273/3	Pituitary blastoma (C75.1)
New code and term	8311/3	Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma (C64.9) MiT family translocation renal cell carcinomas (C64.9) Succinate dehydrogenase-deficient renal carcinoma (C64.9)
New term	8312/3	Succinate dehydrogenase-deficient renal carcinoma (C64.9)
New term	8316/3	Acquired cystic disease-associated renal cell carcinoma (C64.9) Tubulocystic renal cell carcinoma (C64.9)
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]
New term	8330/3	Follicular thyroid carcinoma (FTC), widely invasive (C73.9)
New term	8337/3	Poorly differentiated thyroid carcinoma (C73.9)
New code and term	8339/3	Follicular thyroid carcinoma (FTC), encapsulated angioinvasive (C73.9)
New term	8342/3	Oncocytic variant of papillary thyroid carcinoma (PTC) (C73.9)
New term	8345/3	Medullary thyroid carcinoma (C73.9)

Status	ICD-O-3	Term
New code and term	8349/1	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (C73.9) [nonreportable]
New behavior code and term	8380/2	Atypical hyperplasia / Endometrioid intraepithelial neoplasia (C54._)
New term	8430/3	Sclerosing mucoepidermoid carcinoma with eosinophilia (C73.9)
New behavior code and term	8441/2	Serous tubal intraepithelial carcinoma (C57.0)
New behavior code and term	8441/2	Serous endometrial intraepithelial carcinoma (C54._)
New behavior code and term	8460/2	Serous borderline tumour - micropapillary variant (C56.9)
New behavior code and term	8460/2	Non-invasive low-grade serous carcinoma (C56.9)
New term	8460/3	Low-grade serous carcinoma (C48._, C56.9, C57._)
New term	8461/3	High-grade serous carcinoma (C48._, C56.9, C57._)
New code and term	8474/3	Seromucinous carcinoma (C56.9)
New term	8480/3	Mucinous tubular and spindle cell carcinoma (C64.9)
New term	8482/3	Mucinous carcinoma, gastric type (C53._)
New term	8500/3	Adenocarcinoma of mammary gland type (C51._)
New term	8502/3	Secretory carcinoma (C07._, C08._)
New term	8504/2	Encapsulated papillary carcinoma (C50._)
New term	8504/3	Encapsulated papillary carcinoma with invasion (C50._)
New behavior code and term	8507/3	Invasive micropapillary carcinoma (C50._)
New code and term	8509/2	Solid papillary carcinoma in situ (C50._)
New code and term	8509/3	Solid papillary carcinoma invasive (C50._)
New term	8510/3	Renal medullary carcinoma (C64.9)
New code and term	8519/2	Pleomorphic lobular carcinoma in situ (C50._)
New term	8551/3	Acinar adenocarcinoma (C34._)
New term	8570/3	Endometrioid carcinoma with squamous differentiation (C54._)
New term	8570/3	Low grade adenosquamous carcinoma (C50._)
New term	8571/3	Metaplastic carcinoma with chondroid differentiation (C50._)
New term	8571/3	Metaplastic carcinoma with osseous differentiation (C50._)
New term	8572/3	Fibromatosis-like metaplastic carcinoma (C50._)
New term	8572/3	Acinar adenocarcinoma, sarcomatoid (C61.9)

Status	ICD-O-3	Term
New term	8580/3	Metaplastic thymoma / Sclerosing thymoma (C37.9)
New term	8580/3	Ectopic thymoma (C73.9)
Behavior code change (1→3)	8581/3	Type A thymoma, including atypical variant (C37.9)
Behavior code change (1→3)	8582/3	Type AB thymoma (C37.9)
Behavior code change (1→3)	8583/3	Type B1 thymoma (C37.9)
Behavior code change (1→3)	8584/3	Type B2 thymoma (C37.9)
Behavior code change (1→3)	8585/3	Type B3 thymoma (C37.9)
New term	8589/3	Intrathyroid thymic carcinoma (C73.9)
Behavior code change (1→3)	8690/3	Middle ear paraganglioma (C75.5)
Behavior code change (1→3)	8692/3	Carotid body paraganglioma (C75.4)
New term	8693/3	Vagal paraganglioma (C75.5)
New term	8693/3	Laryngeal paraganglioma (C75.5)
New term	8693/3	Sympathetic paragangliomas (C75.5)
New term	8693/3	Composite paraganglioma (C75.5)
New term	8693/3	Paraganglioma (C73.9, C75.1)
Behavior code change (0→3)	8700/3	Pheochromocytoma (C74.1)
New term	8700/3	Composite pheochromocytoma (C74.1)
New code and term	8714/3	Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C34._, C47._, C49._, C54._) Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67._, C68._)
New term	8801/3	Undifferentiated spindle cell sarcoma (C47._, C49._)
New term	8802/3	Undifferentiated pleomorphic sarcoma (C47._, C49._)
New term	8803/3	Undifferentiated round cell sarcoma (C47._, C49._)
New term	8804/3	Undifferentiated epithelioid sarcoma (C47._, C49._)
New term	8815/3	Solitary fibrous tumor, grade 3 (C70._, C71._, C72._)
New behavior code and term	8825/3	Low-grade myofibrilblastic sarcoma (C47._, C49._)
New behavior code and term	8825/3	Myofibroblastic sarcoma
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma of bone (C40._, C41._)

Status	ICD-O-3	Term
Behavior code change (3→1)	8832/1	Dermatofibrosarcoma protuberans (C47._, C49._)
New term	8832/3	Fibrosarcomatous dermatofibrosarcoma protuberans (C47._, C49._)
Behavior code change (3→1)	8833/1	Pigmented dermatofibrosarcoma protuberans (C47._, C49._)
New term	8840/3	Low-grade fibromyxoid sarcoma (C47._, C49._) Sclerosing epithelioid fibrosarcoma (C47._, C49._)
New behavior code and term	8842/3	Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34._) Ossifying fibromyxoid tumour, malignant (C47._, C49._)
New term	8912/3	Sclerosing rhabdomyosarcoma
New term	8936/3	Extra-gastrointestinal stromal tumour (C48._)
New term	8963/3	Extra-renal rhabdoid tumour (C47._, C49._)
New behavior code and term	8983/3	Adenomyoepithelioma with carcinoma (C50._)
New term	8990/3	Phosphaturic mesenchymal tumor, malignant
New term	9020/3	Periductal stromal tumor, low grade (C50._)
New code and term	9045/3	Biphenotypic sinonasal sarcoma (C30.0, C31._)
Behavior code change (3→1)	9080/1	Immature teratoma (grade 2 (C73.9))
New term	9081/3	Teratocarcinosarcoma (C30.0, C31._)
New term	9084/3	Germ cell tumours with sometic-type solid malignancy (C37.9)
New code and term	9086/3	Germ cell tumours with associated haematological malignancy (C37.9)
New term	9110/3	Adenocarcinoma of rete ovarii (C56.9)
Behavior code change (1→3)	9133/3	Epithelioid hemangioendothelioma (C30.0, C31._)
New code and term	9137/3	Pulmonary artery intimal sarcoma (C34._) Intimal sarcoma (C47._, C49._)
New term	9180/3	Extraskeletal osteosarcoma (C47._, C49._)
New term	9187/3	Low-grade central / intramedullary osteosarcoma (C40._, C41._)
New term	9220/3	Chondrosarcoma, grade 2/3 (C12.9, C13._, C14._, C32._, C33.9, C41.0, C41.1)
New code and term	9222/1	Chondrosarcoma, grade 1 (C12.9, C13._, C14._, C32._, C33.9, C41.0, C41.1)
New term	9231/3	Extraskeletal myxoid chondrosarcoma (C47._, C49._)
New term	9270/3	Sclerosing odontogenic carcinoma (C41.0, C41.1)

Status	ICD-O-3	Term
New behavior code and term	9302/3	Ghost cell odontogenic carcinoma (C41.0, C41.1)
New term	9330/3	Odontogenic sarcomas (C41.0, C41.1)
New behavior code and term	9341/3	Clear cell odontogenic carcinoma (C41.0, C41.1)
New code and term	9385/3	Diffuse midline glioma, H3 K27M-mutant (C71._)
New behavior code and term	9391/1	Sellar ependymoma (C75.1) [nonreportable]
New code and term	9396/3	Ependymoma, RELA fusion-positive (C71._)
New term	9400/3	Diffuse astrocytoma, IDH-mutant / IDH-wildtype (C71._)
New term	9401/3	Anaplastic astrocytoma, IDH-mutant / IDH-wildtype (C71._)
New term	9424/3	Anaplastic pleomorphic xanthoastrocytoma (C71._)
New term	9440/3	Epithelioid glioblastoma (C71._)
New term	9440/3	Glioblastoma, IDH-wildtype (C71._)
New code and term	9445/3	Glioblastoma, IDH-mutant (C71._)
New term	9450/3	Oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71._)
New term	9451/3	Anaplastic oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71._)
New term	9470/3	Medulloblastoma, classic
New term	9471/3	Medulloblastoma, SHH-activated and TP53-wildtype (C71._)
New term	9473/3	CNS embryonal tumour, NOS (C71._)
New code and term	9475/3	Medulloblastoma, WNT-activated(C71._)
New code and term	9476/3	Medulloblastoma, SHH-activated and TP53-mutant (C71._)
New code and term	9477/3	Medulloblastoma, non-WNT/non-SHH (C71._) Medulloblastoma, group 3 / group 4 (C71._)
New code and term	9478/3	Embryonal tumour with multilayered rosettes, C19MC-altered (C71._) Embryonal tumour with multilayered rosettes, NOS (C71._)
New term	9490/3	Ganglioneuroblastoma, nodular (C74.1)
New term	9490/3	Ganglioneuroblastoma, intermixed (C74.1)
New term	9508/3	CNS embryonal tumour with rhabdoid features (C71._)
New term	9540/3	MPNST with perineurial differentiation (C72._)
New code and term	9542/3	Epithelioid malignant peripheral nerve sheath tumour (C47._, C49._)

Status	ICD-O-3	Term
New behavior code and term	9591/1	Monoclonal B-cell lymphocytosis, non-CLL-type
New behavior code and term	9673/1	In situ mantle cell neoplasia
New behavior code and term	9680/1	EBV-positive mucocutaneous ulcer
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Germinal centre B-cell subtype
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Activated B-cell subtype
New term	9680/3	Fibrin-associated diffuse large B-cell lymphoma
New term	9680/3	High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements
New term	9680/3	High-grade B-cell lymphoma, NOS
New term	9687/3	Burkitt-like lymphoma with 11q aberration
New term	9690/3	Testicular follicular lymphoma Paediatric-type follicular lymphoma
New behavior code and term	9695/1	In situ follicular neoplasia
New term	9695/3	Duodenal-type follicular lymphoma
New term	9698/3	Large B-cell lymphoma with IRF4 rearrangement
New behavior code and term	9702/1	Indolent T-cell lymphoproliferative disorder of the gastrointestinal tract
New term	9702/3	Follicular T-cell lymphoma Nodal peripheral T-cell lymphoma with T follicular helper phenotype
Behavior code change (3→1)	9709/1	Primary cutaneous CD4-positive small/medium T-cell lymphoproliferative disorder
New term	9709/3	Primary cutaneous acral CD8-positive T-cell lymphoma
New code and term	9715/3	Anaplastic large cell lymphoma, ALK-negative [originally 9702/3] Breast implant-associated anaplastic large cell lymphoma
New term	9717/3	Monomorphic epitheliotropic intestinal T-cell lymphoma
Behavior code change (3→1)	9718/1	Lymphomatoid papulosis (C44. _)
Behavior code change (3→1)	9725/1	Hydroa vacciniforme-like lymphoproliferative disorder
New behavior code and term	9738/1	HHV8-positive germinotropic lymphoproliferative disorder
New code and term	9749/3	Erdheim-Chester disease
Behavior code change (3→1)	9751/1	Langerhans cell histiocytosis, NOS Langerhans cell histiocytosis, monostotic Langerhans cell histiocytosis, polystotic

Status	ICD-O-3	Term
New behavior code and term	9761/1	IgM monoclonal gammopathy of undetermined significance
New term	9765/1	Non-IgM monoclonal gammopathy of undetermined significance
New term	9766/1	Lymphomatoid granulomatosis, grade 1, 2
New behavior code and term	9766/3	Lymphomatoid granulomatosis, grade 3
New term	9769/1	Light chain and heavy chain deposition diseases Monoclonal immunoglobulin deposition diseases
New term	9807/3	Mixed-phenotype acute leukaemia with t(v; 11q23.3); KMT2A -rearranged
New term	9811/3	B-lymphoblastic leukaemia/lymphoma with iAMP21
New term	9813/3	B-lymphoblastic leukaemia/lymphoma with t(v; 11q23.3); KMT2A -rearranged
New code and term	9819/3	B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
New behavior code and term	9823/1	Monoclonal B-cell lymphocytosis, CLL-type
New term	9840/3	Pure erythroid leukaemia
New term	9869/3	AML with inv(3)(q21.3q26.2) or t(3;3)(q21.3;q26.2); GATA2, MECOM
New code and term	9877/3	AML with mutated NPM1 [originally 9861/3]
New code and term	9878/3	AML with biallelic mutation of CEBPA [originally 9861/3]
New code and term	9879/3	AML with mutated RUNX1
New term	9897/3	AML with t(9;11)(p21.3;q23.3); KMT2A-MLLT3
New code and term	9912/3	AML with BCR-ABL1
New term	9966/3	Myeloid/ lymphoid neoplasms with PDGFRB
New code and term	9968/3	Myeloid/lymphoid neoplasms with PCM1-JAK2
Behavior code change (3→1)	9971/1	Polymorphic PTLD
New term	9980/3	Myelodysplastic syndrome with single lineage dysplasia
New term	9982/3	Myelodysplastic/myeloproliferative neoplasm with ring siderolasts and thrombocytosis Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
New term	9983/3	Myelodysplastic syndrome with excess blasts
New term	9985/3	Myelodysplastic syndrome with multilineage dysplasia
New code and term	9993/3	Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

說明：綠色網底表示為本次新增編碼與修訂敘述。

病患姓名 _____
病歷號 _____
出生日期 ____/____/____

一、Leukemia and myeloid neoplasm, total

HISTOLOG	WHO NAME
Actue myeloid leukemia and related precursor neoplasms	
AML with recurrent genetic abnormalities	
<input type="checkbox"/>	98963 AML with t(8;21)(q22;q22);RUNX1-RUNX1T1
<input type="checkbox"/>	98713 AML with inv(16)(p13.1;q22) or t(16;16)(p13.1;q22), CBFβ-MYH11
<input type="checkbox"/>	98663 Acute promyelocytic leukemia with t(15;17)(q22;q12), PML-RARα
<input type="checkbox"/>	98973 AML with t(9;11)(p22;q23); MLLT3-MLL
<input type="checkbox"/>	98653 AML with t(6;9)(p23;q34); DEK-NUP214
<input type="checkbox"/>	98693 AML with inv(3)(q21q26.2) or t(3;3)(q21;q26.2); RPN1-EVI1
<input type="checkbox"/>	99113 AML (megakaryoblastic) with t(1;22)(p13;q13); RBM15-MKL1
<input type="checkbox"/>	99123 AML with BCR-ABL1
<input type="checkbox"/>	98773 AML with mutated NPM1
<input type="checkbox"/>	98783 AML with biallelic mutation of CEBPA
<input type="checkbox"/>	98793 AML with mutated RUNX1
<input type="checkbox"/>	98953 AML with myelodysplasia-related changes
<input type="checkbox"/>	99203 Therapy-related myeloid neoplasms
<input type="checkbox"/>	98613 Acute myeloid leukemia, NOS
<input type="checkbox"/>	98723 AML with minimal differentiation
<input type="checkbox"/>	98733 AML without maturation
<input type="checkbox"/>	98743 AML with maturation
<input type="checkbox"/>	98673 Acute myelomonocytic leukemia
<input type="checkbox"/>	98913 Acute monoblastic and monocytic leukemia
<input type="checkbox"/>	98403 Acute erythroid leukemia
<input type="checkbox"/>	99103 Acute megakaryoblastic leukemia
<input type="checkbox"/>	98703 Acute basophilic leukemia
<input type="checkbox"/>	99313 Acute panmyelosis with myelofibrosis
<input type="checkbox"/>	99303 Myeloid sarcoma
<input type="checkbox"/>	98983 Myeloid leukemia associated with Down syndrome
<input type="checkbox"/>	97273 Blastic plasmacytoid dendritic cell neoplasm
Precursor lymphoid neoplasms	
B lymphoblastic leukemia / lymphoma	
<input type="checkbox"/>	98113 B lymphoblastic leukemia / lymphoma, NOS
<input type="checkbox"/>	98113 B-lymphoblastic leukaemia/lymphoma with iAMP21
<input type="checkbox"/>	98123 B lymphoblastic leukemia / lymphoma with t(9;22)(q34;q11.2); BCR-ABL1
<input type="checkbox"/>	98133 B lymphoblastic leukemia / lymphoma with t(v;11q23); MLL rearranged
<input type="checkbox"/>	98143 B lymphoblastic leukemia / lymphoma with t(12;21)(p13;q220); TEL-AML1(ETV6-RUNX1)
<input type="checkbox"/>	98153 B lymphoblastic leukemia / lymphoma with hyperdiploidy
<input type="checkbox"/>	98163 B lymphoblastic leukemia / lymphoma with hypodiploidy (hypodiploid ALL)
<input type="checkbox"/>	98173 B lymphoblastic leukemia / lymphoma with t(5;14)(q31;q32); IL3-IGH
<input type="checkbox"/>	98183 B lymphoblastic leukemia / lymphoma with t(1;19)(q23;p13.3); E2A-PBX1(TCF3-PBX1)
<input type="checkbox"/>	98193 B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
<input type="checkbox"/>	98373 T or ETP or NK lymphoblastic leukemia / lymphoma
Acute leukemias of ambiguous lineage	
<input type="checkbox"/>	98013 Acute undifferentiated leukemia
<input type="checkbox"/>	98063 Mixed phenotype acute leukemia with t(9;22)(q34;q11.2); BCR-ABL1
<input type="checkbox"/>	98073 Mixed phenotype acute leukemia with t(v;11q23); MLL rearranged
<input type="checkbox"/>	98083 Mixed phenotype acute leukemia, B/myeloid, NOS
<input type="checkbox"/>	98093 Mixed phenotype acute leukemia, T/myeloid, NOS

HISTOLOG	WHO NAME
Myeloproliferative neoplasms	
<input type="checkbox"/>	98753 Chronic myelogenous leukemia, BCR-ABL1 positive
<input type="checkbox"/>	99633 Chronic neutrophilic leukemia
<input type="checkbox"/>	99503 Polycythemia vera
<input type="checkbox"/>	99613 Primary myelofibrosis
<input type="checkbox"/>	99623 Essential thrombocythemia
<input type="checkbox"/>	99643 Chronic eosinophilic leukemia, NOS
<input type="checkbox"/>	99753 Myeloproliferative neoplasm, unclassifiable
Myelodysplastic / myeloproliferative neoplasms	
<input type="checkbox"/>	99453 Chronic myelomonocytic leukaemia (CMML)
<input type="checkbox"/>	98763 Atypical chronic myeloid leukaemia, BCR-ABL1-negative
<input type="checkbox"/>	99463 Juvenile myelomonocytic leukaemia
<input type="checkbox"/>	99753 Myelodysplastic/myeloproliferative neoplasm, unclassifiable
<input type="checkbox"/>	99823 Myelodysplastic/myeloproliferative neoplasm with ring siderolasts and thrombocytosis
Myelodysplastic syndromes	
Refractory cytopenia with unilineage dysplasia	
<input type="checkbox"/>	99803 Refractory anemia
<input type="checkbox"/>	99823 Refractory anemia with ring sideroblasts
<input type="checkbox"/>	99933 Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia
<input type="checkbox"/>	99853 Refractory cytopenia with multilineage dysplasia
<input type="checkbox"/>	99833 Refractory anemia with excess blasts
<input type="checkbox"/>	99863 Myelodysplastic syndrome associated with isolated del(5q-)
<input type="checkbox"/>	99893 Myelodysplastic syndrome, unclassifiable
Childhood myelodysplastic syndrome	
<input type="checkbox"/>	99853 Refractory cytopenia of childhood
Myeloid/lymphoid neoplasms with eosinophilia and gene rearrangement	
<input type="checkbox"/>	99653 Myeloid and lymphoid neoplasms with PDGFRA rearrangement
<input type="checkbox"/>	99663 Myeloid and lymphoid neoplasms with PDGFRB rearrangement
<input type="checkbox"/>	99673 Myeloid and lymphoid neoplasms with FGFR1 rearrangement
<input type="checkbox"/>	99683 Myeloid/lymphoid neoplasms with PCM1-JAK2
Mastocytosis	
<input type="checkbox"/>	97413 Systemic tissue mast cell disease
<input type="checkbox"/>	97423 Mast cell leukemia
<input type="checkbox"/>	97403 Mast cell sarcoma
Chronic lymphocytic leukemia/ small lymphocytic lymphoma	
<input type="checkbox"/>	98233 Chronic lymphocytic leukemia / small lymphocytic leukemia

二、Malignant Lymphoma

Hodgkin lymphoma	
<input type="checkbox"/>	96593 Nodular lymphocyte predominant Hodgkin lymphoma
<input type="checkbox"/>	96503 Classical Hodgkin lymphoma
<input type="checkbox"/>	96503 Classic Hodgkin Lymphoma PTLD
<input type="checkbox"/>	96633 Nodular sclerosis classical Hodgkin lymphoma
<input type="checkbox"/>	96513 Lymphocyte-rich classical Hodgkin lymphoma
<input type="checkbox"/>	96523 Mixed cellularity classical Hodgkin lymphoma
<input type="checkbox"/>	96533 Lymphocyte depletion classical Hodgkin lymphoma
Non-Hodgkin lymphoma	
B cell lymphoid neoplasms	
<input type="checkbox"/>	96873 Burkitt lymphoma / Burkitt-like lymphoma with 11q aberration
<input type="checkbox"/>	96803 High grade B cell lymphoma
<input type="checkbox"/>	96803 Diffuse large B cell lymphoma
<input type="checkbox"/>	96803 Primary DLBCL of the CNS
<input type="checkbox"/>	96793 Primary mediastinal (thymic) large B-cell lymphoma
<input type="checkbox"/>	96883 T-cell / histiocyte rich large B-cell lymphoma
<input type="checkbox"/>	97123 Intravascular large B-cell lymphoma

HISTOLOG	WHO NAME
<input type="checkbox"/>	96803 EBV-positive Diffuse large B-cell lymphoma (DLBCL), NOS
<input type="checkbox"/>	96903 Follicular lymphoma / Testicular follicular lymphoma / Paediatric-type follicular lymphoma
<input type="checkbox"/>	96733 Mantle cell lymphoma
<input type="checkbox"/>	96893 Marginal zone lymphoma
<input type="checkbox"/>	96993 Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma)
<input type="checkbox"/>	96993 Nodal marginal zone lymphoma
<input type="checkbox"/>	96993 Paediatric nodal marginal zone lymphoma
<input type="checkbox"/>	96713 Lymphoplasmacytic lymphoma
<input type="checkbox"/>	97613 Waldenström macroglobulinemia
<input type="checkbox"/>	99403 Hairy cell leukemia
<input type="checkbox"/>	95913 Hairy cell leukemia-variant
<input type="checkbox"/>	95913 Splenic B-cell lymphoma / leukemia, unclassifiable
<input type="checkbox"/>	95913 Splenic diffuse red pulp small B-cell lymphoma
<input type="checkbox"/>	95913 Malignant lymphoma, non-Hodgkin, NOS
	Others:
<input type="checkbox"/>	98333 B-cell prolymphocytic leukemia
<input type="checkbox"/>	96983 Large B cell lymphoma with IRF4 rearrangement
<input type="checkbox"/>	95973 Primary cutaneous follicle centre lymphoma
<input type="checkbox"/>	96803 Primary cutaneous DLBCL, leg type
<input type="checkbox"/>	97663 Lymphomatoid granulomatosis, grade 3
<input type="checkbox"/>	97373 ALK positive large B-cell lymphoma
<input type="checkbox"/>	97353 Plasmablastic lymphoma
<input type="checkbox"/>	96783 Primary effusion lymphoma
<input type="checkbox"/>	Multicentric Castleman disease
<input type="checkbox"/>	97383 HHV8-positive DLBCL, NOS
<input type="checkbox"/>	95963 B-cell lymphoma, unclassifiable, with features intermediate between DLBCL and classic Hodgkin lymphoma
T/NK cell lymphoid neoplasms	
<input type="checkbox"/>	97193 Extranodal NK/T-cell lymphoma, nasal type
<input type="checkbox"/>	97053 Angioimmunoblastic T-cell lymphoma
<input type="checkbox"/>	97143 Anaplastic large cell lymphoma, ALK positive
<input type="checkbox"/>	97153 Anaplastic large cell lymphoma, ALK-negative
<input type="checkbox"/>	97153 Breast implant-associated anaplastic large cell lymphoma
<input type="checkbox"/>	97173 Enteropathy-type T-cell lymphoma
<input type="checkbox"/>	97163 Hepatosplenic T-cell lymphoma
<input type="checkbox"/>	97083 Subcutaneous panniculitis-like T-cell lymphoma
<input type="checkbox"/>	98273 Adult T-cell lymphoma/leukemia
	Cutaneous T cell lymphoma (including mycosis fungoides/ Sezary syndrome/ and other skin lymphoma)
<input type="checkbox"/>	97003 Mycosis fungoides
<input type="checkbox"/>	97013 Sezary syndrome
<input type="checkbox"/>	97183 Primary cutaneous anaplastic large cell lymphoma
<input type="checkbox"/>	97263 Primary cutaneous gamma-delta T-cell lymphoma
<input type="checkbox"/>	97093 Primary cutaneous CD8 positive aggressive epidermotropic cytotoxic T-cell lymphoma
<input type="checkbox"/>	97093 Primary cutaneous CD4 positive small /medium T-cell lymphoma
<input type="checkbox"/>	97023 Peripheral T cell lymphoma, NOS / Follicular T-cell lymphoma / Nodal peripheral T-cell lymphoma with T follicular helper phenotype
	Others:
<input type="checkbox"/>	98343 T-cell prolymphocytic leukemia (T-PLL)
<input type="checkbox"/>	98313 T-cell large granular lymphocytic leukaemia (T-LGL)
<input type="checkbox"/>	99483 Aggressive NK-cell leukemia
<input type="checkbox"/>	97243 Systemic EBV positive T-cell lymphoproliferative disease of childhood
<input type="checkbox"/>	97153 Breast implant-associated anaplastic large cell lymphoma

三、Plasma cell neoplasms

<input type="checkbox"/>	97323 Plasma cell myeloma
<input type="checkbox"/>	97313 Solitary plasmacytoma of bone
<input type="checkbox"/>	97343 Extraosseous plasmacytoma

HISTOLOG	WHO NAME
<input type="checkbox"/> 97623	Heavy chain disease (不含primary amyloidosis)

四、Others rare diseases

<input type="checkbox"/> 97513	Langerhans cell histiocytosis
<input type="checkbox"/> 97563	Langerhans cell sarcoma
<input type="checkbox"/> 97573	Interdigitating dendritic cell sarcoma
<input type="checkbox"/> 97573	Indeterminate dendritic cell tumor
<input type="checkbox"/> 97583	Follicular dendritic cell sarcoma
<input type="checkbox"/> 97593	Fibroblastic reticular cell tumor
<input type="checkbox"/> 97493	Erdheim-Chester disease
<input type="checkbox"/> 97553	Histiocytic sarcoma
<input type="checkbox"/> 98003	Leukemia, NOS (reserved ICD-O-3 term)
<input type="checkbox"/> 95903	Malignant lymphoma, NOS (reserved ICD-O-3 term)

醫師簽章：

日期： 年 月 日