

台灣癌症登記中心通知

急件

發件人： 台灣癌症登記中心
電話： 02-2341-6012
傳真： 02-2351-1733
地址： 100 台北郵政 84-310 信箱
日期： 108 年 5 月 13 日
編號： 癌登第 108004 號

收文者： 所有申報醫院

副本收文者： 衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份有限公司

主題： 有關107年新版45欄位、115欄位預計申報時程，及因應癌症登記實務作業之需求，請 貴院依說明段辦理

急件 請檢閱 請加註 請回覆 請回收

- 一、本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、有關 107 年新版 45 欄位、115 欄位預計申報時程，與「癌症篩檢與追蹤管理資訊整合系統」目前開放批次，說明如下：
 - (1) 篩整系統已新增[45_各欄位編碼範圍檢測]與[115_各欄位編碼範圍檢測]批次，目前僅先檢測各欄位是否符合手冊規定的編碼範圍，並可由此檢查院內產出的文字檔是否正確。
 - (2) 篩整系統亦新增 45 欄位與 115 欄位的介接，目前僅先檢測各欄位是否符合手冊規定的編碼範圍，請使用介接的醫院，可先行測試院內的介接是否正常。
 - (3) 107 年新版 45 欄位，自 **2019 年 6 月 17 日**起正式申報。
 - (4) 107 年新版 115 欄位，將採逐步開放各癌邏輯檢測方式：
自 **2019 年 6 月 17 日**起，107 年診斷之大腸癌與乳癌可開始進行申報，其他癌別會陸續加入，屆時癌登中心將會以 email 提醒醫院，至 7 月底前均可進行 2019 年第 1、2 季申報。
 - (5) 預計 **2019 年 8 月 1 日**起，長表全癌皆可申報。
- 三、因 2000 年出版之 ICD-O-3 編碼不敷使用，且現行病理報告按最新組織型態記載，故提供最新病理組織型態編碼供醫院使用；依據最新 WHO Classification of Skin Tumours (2018)、WHO Classification of Tumours of the Eye (2018)彙整而成(詳見附件一)，適用於 2018 診斷年以後個案。
- 四、2018 診斷年起，多發癌症之判斷應參考 SEER「Solid Tumor Rules」編碼原則。其中乳癌與泌尿系統癌已於 2019 年 4 月再次修訂，請上網下載更新使用，網址如下：
<https://seer.cancer.gov/tools/solidtumor/revisions.html>。

五、更新癌登通知文 104001 號公告有關「泌尿系統多發癌症」申報原則，修訂如下：
於 2018 年 SEER「Solid Tumor Rules」其 Renal Pelvis, Ureter, Bladder and Other Urinary Multiple Primary Rules (C659, C669, C670-C679, C680-C689) 章節中 **Rule M11**：

- (1) 當 Renal pelvis (C65.9)、Ureter (C66.9)、Bladder (C67._)、Urethra (C68.0) 有發生兩種以上的上述部位之泌尿上皮癌 Urothelial carcinomas (M-code 為 8020, 8031, 8082, 8120, 8122, 8130, 8131) 時，需改申報為多發癌症。(請見以下紅字修正)

Rule M11 Abstract **multiple primaries** when there are **urothelial carcinomas** in multiple urinary organs.

Note 1: This rule is **ONLY** for urothelial carcinoma **8120** and all subtypes/variants of urothelial carcinoma. This rule does not apply to any other carcinomas or sarcomas.

Note 2: Behavior is irrelevant.

Note 3: This rule applies to multifocal/multicentric carcinoma which involves two or more of the following urinary sites:

- Renal pelvis
- Ureter
- Bladder
- Urethra

- (2) 前述第一點若發生於雙側器官，如 Renal pelvis 或 Ureter，亦須申報為多發癌症。

六、有鑒於標靶及免疫治療藥物日漸增加，為利於每年手冊修訂討論，癌登員在申報時若發現個案有接受新興標靶及免疫治療，請協助將其藥物種類填入以下網址 https://docs.google.com/forms/d/12BKXyLRpkPAq1KJokd2sF2rYqUczNdkMG_gfRB1brKQ/viewform?edit_requested=true，填寫注意事項如下：

- (1) 請填寫摘錄手冊中尚未提及之標靶或免疫藥物。
- (2) 請依據自家醫院使用之標靶或免疫藥物為主。
- (3) 若針對長/短表摘錄手冊內已提及之標靶或免疫藥物有不同意見時，請於"其他"欄位中說明。

Status	ICD-O-3	Term
New term	8010/3	Urachal carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	Anaplastic thyroid carcinoma (C73.9)
New code and term	8023/3	NUT carcinoma (C30.0, C31._, C34._, C37.9)
New term	8035/3	Squamous cell carcinoma with osteoclast-like giant cells (C44._)
New term	8041/3	High-grade neuroendocrine carcinoma (C54._, C55.9)
New term	8041/3	Neuroendocrine carcinoma, poorly differentiated (C50._)
New term	8041/3	Small cell carcinoma, pulmonary type (C56.9)
New term	8044/3	Small cell carcinoma, hypercalcaemic type (C56.9)
New code and term	8054/3	Warty carcinoma (C60._) [originally 8051/3]
New code and term	8054/3	Condylomatous carcinoma (C60._) [originally 8051/3]
New behavior code and term	8071/2	Differentiated-type vulvar intraepithelial neoplasia (C51._) Differentiated penile intraepithelial neoplasia (C60._)
New term	8071/3	Keratoacanthoma (C44._, C69.0)
New term	8074/3	Pseudovascular squamous cell carcinoma (C44._)
New term	8077/2	Penile intraepithelial neoplasia (C60._)
New term	8077/2	Oral epithelial dysplasia, high grade (C00._, C02._, C03._, C04._, C05._, C06._)
New code and term	8085/3	Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)
New code and term	8086/3	Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)
New term	8090/3	Basal cell carcinoma with adnexal differentiation (C44._)
New term	8091/3	Superficial basal cell carcinoma (C44._)
New term	8092/3	Basal cell carcinoma with sarcomatoid differentiation (C44._)
New behavior code and term	8100/3	Trichoblastic carcinoma/carcinosarcoma (C44._)
New term	8120/3	Squamotransitional cell carcinoma (C53._)
New term	8140/3	Parathyroid carcinoma (C75.0)
New term	8140/3	Endolymphatic sac tumor (C30.1)
New term	8144/3	Enteric adenocarcinoma (C34._, C65.9, C66.9, C67._, C68._)

Status	ICD-O-3	Term
New term	8144/3	Mucinous carcinoma, intestinal type (C53._)
Behavior code change (0→3)	8151/3	Insulinoma (C25._)
Behavior code change (1→3)	8152/3	Glucagonoma (C25._)
Behavior code change (1→3)	8153/3	Gastrinoma (C25._)
New term	8154/3	Mixed ductal- neuroendocrine carcinomas (C25._)
New term	8154/3	Mixed acinar- neuroendocrine carcinomas (C25._)
Behavior code change (1→3)	8155/3	VIPoma (C25._)
Behavior code change (1→3)	8156/3	Somatostatinoma (C25._)
New behavior code and term	8158/3	ACTH-producing tumour with Cushing syndrome (C25._)
Behavior code change (1→3)	8158/3	ACTH-producing tumour (C25._)
New term	8200/3	Thymic carcinoma with adenoid cystic carcinoma-like features (C37.9)
New term	8241/3	Serotonin-producing tumour with and without carcinoid syndrome (C25._)
New behavior code and term	8250/2	Adenocarcinoma in situ, non-mucinous (C34._)
New term	8250/3	Lepidic adenocarcinoma (C34._)
New behavior code and term	8253/2	Adenocarcinoma in situ, mucinous (C34._)
New term	8253/3	Invasive mucinous adenocarcinoma (C34._)
New term	8254/3	Mixed invasive mucinous and non-mucinous adenocarcinoma (C34._)
New code and term	8256/3	Minimally invasive adenocarcinoma, non-mucinous (C34._)
New code and term	8257/3	Minimally invasive adenocarcinoma, mucinous (C34._)
New term	8263/3	Endometrioid adenocarcinoma, villoglandular (C54._, C55.9)
New term	8263/3	Villoglandular carcinoma (C53._)
New term	8265/3	Micropapillary adenocarcinoma (C34._)
New code and term	8273/3	Pituitary blastoma (C75.1)
New code and term	8311/3	Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma (C64.9) MIT family translocation renal cell carcinomas (C64.9)
New term	8312/3	Succinate dehydrogenase-deficient renal carcinoma (C64.9)
New term	8316/3	Acquired cystic disease-associated renal cell carcinoma (C64.9) Tubulocystic renal cell carcinoma (C64.9)

Status	ICD-O-3	Term
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]
New term	8330/3	Follicular thyroid carcinoma (FTC), widely invasive (C73.9)
New term	8337/3	Poorly differentiated thyroid carcinoma (C73.9)
New code and term	8339/3	Follicular thyroid carcinoma (FTC), encapsulated angioinvasive (C73.9)
New term	8342/3	Oncocytic variant of papillary thyroid carcinoma (PTC) (C73.9)
New term	8345/3	Medullary thyroid carcinoma (C73.9)
New code and term	8349/1	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (C73.9) [nonreportable]
New behavior code and term	8380/2	Atypical hyperplasia / Endometrioid intraepithelial neoplasia (C54._)
New term	8390/3	Adnexal adenocarcinoma , NOS (C44._)
New term	8401/3	Apocrine carcinoma (C44._)
New term	8403/3	Malignant neoplasms arising from spiradenoma, cylindroma , or spiradenocylindroma (C44._)
New behavior code and term	8406/3	Syringocystadenocarcinoma papilliferum (C44._)
New behavior code and term	8409/2	Porocarcinoma in situ (C44._)
New term	8430/3	Sclerosing mucoepidermoid carcinoma with eosinophilia (C73.9)
New behavior code and term	8441/2	Serous tubal intraepithelial carcinoma (C57.0)
New behavior code and term	8441/2	Serous endometrial intraepithelial carcinoma (C54._)
New behavior code and term	8460/2	Serous borderline tumour - micropapillary variant (C56.9)
New behavior code and term	8460/2	Non-invasive low-grade serous carcinoma (C56.9)
New term	8460/3	Low-grade serous carcinoma (C48._, C56.9, C57._)
New term	8461/3	High-grade serous carcinoma (C48._, C56.9, C57._)
New code and term	8474/3	Seromucinous carcinoma (C56.9)
New term	8480/3	Mucinous tubular and spindle cell carcinoma (C64.9)
New term	8482/3	Mucinous carcinoma, gastric type (C53._)
New term	8490/3	Signet ring cell/ histiocytoid carcinoma (C44._)
New term	8500/3	Adenocarcinoma of mammary gland type (C51._)
New term	8502/3	Secretory carcinoma (C07._, C08._, C50._, C69.5)
New term	8504/2	Encapsulated papillary carcinoma (C50._)
New term	8504/3	Encapsulated papillary carcinoma with invasion (C50._)

Status	ICD-O-3	Term
New behavior code and term	8507/3	Invasive micropapillary carcinoma (C50._)
New code and term	8509/2	Solid papillary carcinoma in situ (C50._)
New code and term	8509/3	Solid papillary carcinoma invasive (C50._)
New code and term	8509/3	Endocrine mucin-producing sweat gland carcinoma (C44._)
New term	8510/3	Renal medullary carcinoma (C64.9)
New code and term	8519/2	Pleomorphic lobular carcinoma in situ (C50._)
New term	8551/3	Acinar adenocarcinoma (C34._)
New term	8560/3	Squamoid eccrine ductal carcinoma (C44._)
New term	8570/3	Endometrioid carcinoma with squamous differentiation (C54._)
New term	8570/3	Low grade adenosquamous carcinoma (C50._)
New term	8571/3	Metaplastic carcinoma with chondroid differentiation (C50._)
New term	8571/3	Metaplastic carcinoma with osseous differentiation (C50._)
New term	8572/3	Fibromatosis-like metaplastic carcinoma (C50._)
New term	8572/3	Acinar adenocarcinoma, sarcomatoid (C61.9)
New term	8580/3	Metaplastic thymoma / Sclerosing thymoma (C37.9)
New term	8580/3	Ectopic thymoma (C73.9)
Behavior code change (1→3)	8581/3	Type A thymoma, including atypical variant (C37.9)
Behavior code change (1→3)	8582/3	Type AB thymoma (C37.9)
Behavior code change (1→3)	8583/3	Type B1 thymoma (C37.9)
Behavior code change (1→3)	8584/3	Type B2 thymoma (C37.9)
Behavior code change (1→3)	8585/3	Type B3 thymoma (C37.9)
New term	8589/3	Intrathyroid thymic carcinoma (C73.9)
Behavior code change (1→3)	8690/3	Middle ear paraganglioma (C75.5)
Behavior code change (1→3)	8692/3	Carotid body paraganglioma (C75.4)
New term	8693/3	Vagal paraganglioma (C75.5)
New term	8693/3	Laryngeal paraganglioma (C75.5)
New term	8693/3	Sympathetic paragangliomas (C75.5)
New term	8693/3	Composite paraganglioma (C75.5)

Status	ICD-O-3	Term
New term	8693/3	Paraganglioma (C73.9, C75.1)
Behavior code change (0→3)	8700/3	Pheochromocytoma (C74.1)
New term	8700/3	Composite pheochromocytoma (C74.1)
New code and term	8714/3	Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C34._, C47._, C49._, C54._) Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67._, C68._)
New term	8720/3	Mucosal melanoma (genital, oral, sinonasal)
New term	8721/3	Mucosal nodular melanoma (genital, oral, sinonasal)
New term	8743/3	Low-CSD (cumulative sun damage) melanoma (C44._)
New term	8744/3	Acral melanoma (C44._)
New term	8770/3	Malignant Spitz tumor (Spitz melanoma) (C44._)
New term	8780/3	Melanoma arising in blue nevus (C44._)
New term	8801/3	Undifferentiated spindle cell sarcoma (C47._, C49._)
New term	8802/3	Undifferentiated pleomorphic sarcoma (C47._, C49._)
New term	8802/3	Pleomorphic dermal sarcoma (C44._)
New term	8803/3	Undifferentiated round cell sarcoma (C47._, C49._)
New term	8804/3	Undifferentiated epithelioid sarcoma (C47._, C49._)
New term	8815/3	Solitary fibrous tumor, grade 3 (C70._, C71._, C72._)
New behavior code and term	8825/3	Low-grade myofibroblastic sarcoma (C47._, C49._)
New behavior code and term	8825/3	Myofibroblastic sarcoma
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma of bone (C40._, C41._)
Behavior code change (3→1)	8832/1	Dermatofibrosarcoma protuberans (C47._, C49._)
New term	8832/3	Fibrosarcomatous dermatofibrosarcoma protuberans (C47._, C49._)
Behavior code change (3→1)	8833/1	Pigmented dermatofibrosarcoma protuberans (C44._, C47._, C49._) Bednar tumor (C44._)
New term	8840/3	Low-grade fibromyxoid sarcoma (C47._, C49._) Sclerosing epithelioid fibrosarcoma (C47._, C49._)
New behavior code and term	8842/3	Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34._) Ossifying fibromyxoid tumour, malignant (C47._, C49._)

Status	ICD-O-3	Term
New term	8912/3	Sclerosing rhabdomyosarcoma
New term	8936/3	Extra-gastrointestinal stromal tumour (C48._)
New term	8963/3	Extra-renal rhabdoid tumour (C47._, C49._)
New behavior code and term	8983/3	Adenomyoepithelioma with carcinoma (C50._)
New term	8990/3	Phosphaturic mesenchymal tumor, malignant
New term	9020/3	Periductal stromal tumor, low grade (C50._)
New term	9044/3	Dermal clear cell sarcoma (C44._)
New code and term	9045/3	Biphenotypic sinonasal sarcoma (C30.0, C31._)
Behavior code change (3→1)	9080/1	Immature teratoma (grade 2) (C73.9)
New term	9081/3	Teratocarcinosarcoma (C30.0, C31._)
New term	9084/3	Germ cell tumours with sometic-type solid malignancy (C37.9)
New code and term	9086/3	Germ cell tumours with associated haematological malignancy (C37.9)
New term	9110/3	Adenocarcinoma of rete ovarii (C56.9)
Behavior code change (1→3)	9133/3	Epithelioid hemangioendothelioma (C30.0, C31._, C44._)
New code and term	9137/3	Pulmonary artery intimal sarcoma (C34._) Intimal sarcoma (C47._, C49._)
New term	9180/3	Extraskeletal osteosarcoma (C47._, C49._)
New term	9187/3	Low-grade central / intramedullary osteosarcoma (C40._, C41._)
New term	9220/3	Chondrosarcoma, grade 2/3 (C12.9, C13._, C14._, C32._, C33.9, C41.0, C41.1)
New code and term	9222/1	Chondrosarcoma, grade 1 (C12.9, C13._, C14._, C32._, C33.9, C41.0, C41.1)
New term	9231/3	Extraskeletal myxoid chondrosarcoma (C47._, C49._)
New term	9270/3	Sclerosing odontogenic carcinoma (C41.0, C41.1)
New behavior code and term	9302/3	Ghost cell odontogenic carcinoma (C41.0, C41.1)
New term	9330/3	Odontogenic sarcomas (C41.0, C41.1)
New behavior code and term	9341/3	Clear cell odontogenic carcinoma (C41.0, C41.1)
New code and term	9385/3	Diffuse midline glioma, H3 K27M-mutant (C71._)
New behavior code and term	9391/1	Sellar ependymoma (C75.1) [nonreportable]
New code and term	9396/3	Ependymoma, RELA fusion-positive (C71._)

Status	ICD-O-3	Term
New term	9400/3	Diffuse astrocytoma, IDH-mutant / IDH-wildtype (C71._)
New term	9401/3	Anaplastic astrocytoma, IDH-mutant / IDH-wildtype (C71._)
New term	9424/3	Anaplastic pleomorphic xanthoastrocytoma (C71._)
New term	9440/3	Epithelioid glioblastoma (C71._)
New term	9440/3	Glioblastoma, IDH-wildtype (C71._)
New code and term	9445/3	Glioblastoma, IDH-mutant (C71._)
New term	9450/3	Oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71._)
New term	9451/3	Anaplastic oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71._)
New term	9470/3	Medulloblastoma, classic
New term	9471/3	Medulloblastoma, SHH-activated and TP53-wildtype (C71._)
New term	9473/3	CNS embryonal tumour, NOS (C71._)
New code and term	9475/3	Medulloblastoma, WNT-activated (C71._)
New code and term	9476/3	Medulloblastoma, SHH-activated and TP53-mutant (C71._)
New code and term	9477/3	Medulloblastoma, non-WNT/non-SHH (C71._) Medulloblastoma, group 3 / group 4 (C71._)
New code and term	9478/3	Embryonal tumour with multilayered rosettes, C19MC-altered (C71._) Embryonal tumour with multilayered rosettes, NOS (C71._)
New term	9490/3	Ganglioneuroblastoma, nodular (C74.1)
New term	9490/3	Ganglioneuroblastoma, intermixed (C74.1)
New term	9508/3	CNS embryonal tumour with rhabdoid features (C71._)
New term	9540/3	MPNST with perineurial differentiation (C72._)
New code and term	9542/3	Epithelioid malignant peripheral nerve sheath tumour (C44._, C47._, C49._)
New behavior code and term	9591/1	Monoclonal B-cell lymphocytosis, non-CLL-type
New behavior code and term	9673/1	In situ mantle cell neoplasia
New behavior code and term	9680/1	EBV-positive mucocutaneous ulcer
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Germinal centre B-cell subtype
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Activated B-cell subtype
New term	9680/3	Fibrin-associated diffuse large B-cell lymphoma

Status	ICD-O-3	Term
New term	9680/3	High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements
New term	9680/3	High-grade B-cell lymphoma, NOS
New term	9680/3	Vitreoretinal lymphoma (C69.2)
New term	9687/3	Burkitt-like lymphoma with 11q aberration
New term	9690/3	Testicular follicular lymphoma Paediatric-type follicular lymphoma
New behavior code and term	9695/1	In situ follicular neoplasia
New term	9695/3	Duodenal-type follicular lymphoma
New term	9698/3	Large B-cell lymphoma with IRF4 rearrangement
New term	9699/3	Primary choroidal lymphoma (C69.3)
New behavior code and term	9702/1	Indolent T-cell lymphoproliferative disorder of the gastrointestinal tract
New term	9702/3	Follicular T-cell lymphoma Nodal peripheral T-cell lymphoma with T follicular helper phenotype
Behavior code change (3→1)	9709/1	Primary cutaneous CD4-positive small/medium T-cell lymphoproliferative disorder
New term	9709/3	Primary cutaneous acral CD8-positive T-cell lymphoma
New code and term	9715/3	Anaplastic large cell lymphoma, ALK-negative [originally 9702/3] Breast implant-associated anaplastic large cell lymphoma
New term	9717/3	Monomorphic epitheliotropic intestinal T-cell lymphoma
Behavior code change (3→1)	9718/1	Lymphomatoid papulosis (C44._)
Behavior code change (3→1)	9725/1	Hydroa vacciniforme-like lymphoproliferative disorder
New behavior code and term	9738/1	HHV8-positive germinotropic lymphoproliferative disorder
New code and term	9749/3	Erdheim-Chester disease
Behavior code change (3→1)	9751/1	Langerhans cell histiocytosis, NOS Langerhans cell histiocytosis, monostotic Langerhans cell histiocytosis, polystotic
New behavior code and term	9761/1	IgM monoclonal gammopathy of undetermined significance
New term	9765/1	Non-IgM monoclonal gammopathy of undetermined significance
New term	9766/1	Lymphomatoid granulomatosis, grade 1, 2
New behavior code and term	9766/3	Lymphomatoid granulomatosis, grade 3

Status	ICD-O-3	Term
New term	9769/1	Light chain and heavy chain deposition diseases Monoclonal immunoglobulin deposition diseases
New term	9807/3	Mixed-phenotype acute leukaemia with t(v; 11q23.3); KMT2A -rearranged
New term	9811/3	B-lymphoblastic leukaemia/lymphoma with iAMP21
New term	9813/3	B-lymphoblastic leukaemia/lymphoma with t(v; 11q23.3); KMT2A -rearranged
New code and term	9819/3	B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
New behavior code and term	9823/1	Monoclonal B-cell lymphocytosis, CLL-type
New term	9840/3	Pure erythroid leukaemia
New term	9869/3	AML with inv(3)(q21.3q26.2) or t(3;3)(q21.3;q26.2); GATA2, MECOM
New code and term	9877/3	AML with mutated NPM1 [originally 9861/3]
New code and term	9878/3	AML with biallelic mutation of CEBPA [originally 9861/3]
New code and term	9879/3	AML with mutated RUNX1
New term	9897/3	AML with t(9;11)(p21.3;q23.3); KMT2A-MLLT3
New code and term	9912/3	AML with BCR-ABL1
New term	9966/3	Myeloid/ lymphoid neoplasms with PDGFRB
New code and term	9968/3	Myeloid/lymphoid neoplasms with PCM1-JAK2
Behavior code change (3→1)	9971/1	Polymorphic PTLD
New term	9980/3	Myelodysplastic syndrome with single lineage dysplasia
New term	9982/3	Myelodysplastic/myeloproliferative neoplasm with ring siderolasts and thrombocytosis Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
New term	9983/3	Myelodysplastic syndrome with excess blasts
New term	9985/3	Myelodysplastic syndrome with multilineage dysplasia
New code and term	9993/3	Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

說明：綠色網底表示為本次新增編碼與修訂敘述。