

# 台灣癌症登記中心通知

**急件**

發件人： 台灣癌症登記中心  
電話： 02-2341-6012  
傳真： 02-2351-1733  
地址： 100 台北郵政 84-310 信箱  
日期： 108 年 10 月 29 日  
編號： 癌登第 108009 號

收文者： 所有申報醫院

副本收文者： 衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份有限公司

主 題： 因應癌症登記實務作業之需求，請 貴院依說明段辦理

急件       請檢閱       請加註       請回覆       請回收

- 一、本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、國民健康署業於 10 月 24 日(國健癌字第 1080301415)發文公告 107 年癌症個案提醒名單相關作業時程，請依據公文內容進行申報；另請至『癌症篩檢與追蹤管理資訊整合系統』下載 10 月 28 日最新公布之提醒名單，並於 108 年 12 月 31 日法定截止日期前完成申報。
- 三、有關 Squamous cell carcinoma, HPV-positive or HPV-negative 「組織型態」編碼 8085 或 8086 者：  
因 **HPV-positive** 不相當於 **HPV-mediated (p16+)**，故僅執行 p16 檢測，請勿編碼為 **8085 或 8086**。HPV-positive 是指 HPV 病毒感染為陽性，與 p16 蛋白有過度表現(p16 +)不同；且 HPV 感染檢測是以原位雜交技術(In Situ Hybridization, ISH)或聚合酶連鎖反應(Polymerase Chain Reaction, PCR)等方法來檢測 HPV DNA 病毒量，而 p16 蛋白表現(HPV 的替代標記)的檢測，僅採用免疫組織化學染色技術(Immunohistochemistry, IHC)。故 HPV-positive 必須通過病毒檢測為陽性，才能將組織型態編碼為 8085 (參考資料：2018 Solid Tumor rules 第 105 頁)。雖然 p16 陽性的表現與頭頸部鱗狀細胞癌(HNSCC)中的 HPV 感染有高度相關，但 p16 陽性不僅限於 HPV 陽性腫瘤，在許多情況下，p16 可能為陽性但 HPV 檢測卻為陰性。
- 四、依據 WHO Classification of Tumours 第 5 版 Digestive System Tumours (2019)，彙整最新病理組織型態編碼表(詳見附件一)，適用於 2019 診斷年以後個案。

Status	ICD-O-3	Term
New term	8010/3	<b>Urachal carcinoma</b> (C65.9, C66.9, C67._, C68._)
New term	8020/3	Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67._, C68._)
New term	8020/3	<b>Anaplastic thyroid carcinoma</b> (C73.9)
New code and term	<b>8023/3</b>	<b>NUT carcinoma (C30.0, C31._, C34._, C37.9)</b>
New term	8033/3	Carcinoma <b>with sarcomatoid component (C18._, C19.9, C20.9)</b>
New term	8035/3	<b>Squamous cell carcinoma with osteoclast-like giant cells</b> (C44._)
New term	8041/3	<b>High-grade neuroendocrine carcinoma</b> (C54._, C55.9)
New term	8041/3	Neuroendocrine carcinoma, <b>poorly differentiated</b> (C50._)
New term	8041/3	Small cell carcinoma, <b>pulmonary type (C56.9)</b>
New term	8044/3	Small cell carcinoma, <b>hypercalcaemic type (C56.9)</b>
New code and term	<b>8054/3</b>	<b>Warty carcinoma (C60._) [originally 8051/3]</b>
New code and term	<b>8054/3</b>	<b>Condylomatous carcinoma (C60._) [originally 8051/3]</b>
New behavior code and term	8071/2	<b>Differentiated-type vulvar intraepithelial neoplasia (C51._)</b> <b>Differentiated penile intraepithelial neoplasia (C60._)</b>
New term	8071/3	<b>Keratoacanthoma</b> (C44._, C69.0)
New term	8074/3	<b>Pseudovascular squamous cell carcinoma</b> (C44._)
New term	8077/2	<b>Penile intraepithelial neoplasia</b> (C60._)
New term	8077/2	Oral epithelial dysplasia, high grade (C00._, C02._, C03._, C04._, C05._, C06._)
New code and term	<b>8085/3</b>	<b>Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)</b>
New code and term	<b>8086/3</b>	<b>Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09._, C10._, C31._)</b>
New term	8090/3	Basal cell carcinoma with <b>adnexal differentiation</b> (C44._)
New term	8091/3	Superficial basal cell carcinoma (C44._)
New term	8092/3	Basal cell carcinoma with <b>sarcomatoid differentiation</b> (C44._)
New behavior code and term	8100/3	<b>Trichoblastic carcinoma/carcinosarcoma</b> (C44._)
New term	8120/3	<b>Squamotransitional cell carcinoma</b> (C53._)
New term	8140/3	Parathyroid carcinoma (C75.0)
New term	8140/3	<b>Endolymphatic sac tumor (C30.1)</b>

Status	ICD-O-3	Term
New behavior code and term	8144/2	<b>Intestinal-type adenoma, high grade (C16._, C17._, C24.1)</b> <b>Sporadic intestinal-type gastric adenoma (C16._)</b> <b>Syndromic intestinal-type gastric adenoma (C16._)</b>
New term	8144/3	Enteric adenocarcinoma (C34._, C65.9, C66.9, C67._, C68._)
New term	8144/3	Mucinous carcinoma, <b>intestinal type</b> (C53._)
New term	8150/3	<b>Oncocytic neuroendocrine tumor, non-functioning pancreatic (C25._)</b> <b>Pleomorphic neuroendocrine tumor, non-functioning pancreatic (C25._)</b> <b>Clear cell neuroendocrine tumor, non-functioning pancreatic (C25._)</b> <b>Cystic neuroendocrine tumor, non-functioning pancreatic (C25._)</b>
Behavior code change (0→3)	8151/3	Insulinoma (C25._)
Behavior code change (1→3)	8152/3	Glucagonoma (C25._)
Behavior code change (1→3)	8152/3	L-cell tumor (C18._, C19.9, C20.9) Glucagon-like peptide-producing tumor (C18._, C19.9, C20.9) PP/PYY producing tumor (C18._, C19.9, C20.9)
Behavior code change (1→3)	8153/3	Gastrinoma ( <b>C16._, C17._, C24.1, C25._</b> )
New term	8154/3	Mixed ductal- <b>neuroendocrine</b> carcinomas (C25._)
New term	8154/3	Mixed acinar- <b>neuroendocrine</b> carcinomas (C25._)
New term	8154/3	Mixed <b>neuroendocrine non-neuroendocrine neoplasm (MiNEN)</b> (C15-C26)
Behavior code change (1→3)	8155/3	VIPoma (C25._)
Behavior code change (1→3)	8156/3	Somatostatinoma ( <b>C16._, C17._, C24.1, C25._</b> )
New behavior code and term	8158/3	ACTH-producing tumour with Cushing syndrome (C25._)
Behavior code change (1→3)	8158/3	ACTH-producing tumour (C25._)
New term	8160/3	Large duct intrahepatic cholangiocarcinoma (C22.1) Small duct intrahepatic cholangiocarcinoma (C22.1)
New term	8163/2	Intra-ampullary papillary-tubular neoplasm (C17._, C24.1)
New term	8174/3	Hepatocellular carcinoma, steatohepatitis (C22.0) Hepatocellular carcinoma, macrotrabecular massive (C22.0) Hepatocellular carcinoma, chromophobe (C22.0) Hepatocellular carcinoma, neutrophil-rich (C22.0) Hepatocellular carcinoma, lymphocyte-rich (C22.0)
New term	8200/3	<b>Thymic carcinoma</b> with adenoid cystic carcinoma-like features ( <b>C37.9</b> )

Status	ICD-O-3	Term
New term	8210/2	Adenomatous polyp, <b>high-grade dysplasia</b> (C16._, C17._, C18._, C19.9, C20.9, C24.1)
New behavior code and term	8211/2	Tubular adenoma, <b>high grade</b> (C18._, C19.9, C20.9)
New behavior code and term	8213/2	Serrated <b>dysplasia, high grade</b> (C16._, C17._, C18._, C19.9, C20.9, C24.1) <b>Intestinal-type dysplasia</b> (C16._) <b>Foveolar-type (gastric-type) dysplasia</b> (C16._) <b>Gastric pit/crypt dysplasia</b> (C16._) <b>Hyperplastic polyp, microvesicular type</b> (C18._, C19.9, C20.9) <b>Hyperplastic polyp, goblet cell</b> (C18._, C19.9, C20.9)
New term	8241/3	Serotonin-producing <b>tumour with and without carcinoid syndrome</b> (C25._)
New term	8243/3	Goblet cell <b>adenocarcinoma</b> (C18.1)
New term	8249/3	Neuroendocrine tumor, <b>grade 3</b> (C15-C26)
New behavior code and term	8250/2	<b>Adenocarcinoma in situ, non-mucinous</b> (C34._)
New term	8250/3	<b>Lepidic adenocarcinoma</b> (C34._)
New behavior code and term	8253/2	<b>Adenocarcinoma in situ, mucinous</b> (C34._)
New term	8253/3	<b>Invasive mucinous adenocarcinoma</b> (C34._)
New term	8254/3	Mixed <b>invasive</b> mucinous and non-mucinous <b>adenocarcinoma</b> (C34._)
New code and term	<b>8256/3</b>	<b>Minimally invasive adenocarcinoma, non-mucinous</b> (C34._)
New code and term	<b>8257/3</b>	<b>Minimally invasive adenocarcinoma, mucinous</b> (C34._)
New term	8261/2	Villous adenoma, <b>high grade</b> (C18._, C19.9, C20.9)
New term	8262/3	<b>Adenoma-like adenocarcinoma</b> (C18._, C19.9, C20.9)
New term	8263/2	Tubulovillous adenoma, <b>high grade</b> (C18._, C19.9, C20.9)
New term	8263/3	<b>Endometrioid adenocarcinoma, villoglandular</b> (C54._, C55.9)
New term	8263/3	<b>Villoglandular carcinoma</b> (C53._)
New term	8265/3	Micropapillary adenocarcinoma ( <b>C18._, C19.9, C20.9, C34._</b> )
New code and term	<b>8273/3</b>	<b>Pituitary blastoma</b> (C75.1)
New code and term	<b>8311/3</b>	<b>Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma</b> (C64.9) <b>MIT family translocation renal cell carcinomas</b> (C64.9)
New term	8312/3	<b>Succinate dehydrogenase-deficient renal carcinoma</b> (C64.9)
New term	8316/3	<b>Acquired cystic disease-associated renal cell carcinoma</b> (C64.9) <b>Tubulocystic renal cell carcinoma</b> (C64.9)

Status	ICD-O-3	Term
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]
New term	8330/3	Follicular thyroid carcinoma (FTC), <b>widely invasive</b> (C73.9)
New term	8337/3	<b>Poorly differentiated thyroid</b> carcinoma (C73.9)
New code and term	8339/3	<b>Follicular thyroid carcinoma (FTC), encapsulated angioinvasive</b> (C73.9)
New term	8342/3	<b>Oncocytic variant</b> of papillary thyroid carcinoma (PTC) (C73.9)
New term	8345/3	Medullary <b>thyroid</b> carcinoma (C73.9)
New code and term	8349/1	<b>Non-invasive follicular thyroid neoplasm with papillary-like nuclear features</b> (C73.9) [nonreportable]
New behavior code and term	8380/2	<b>Atypical hyperplasia / Endometrioid intraepithelial neoplasia</b> (C54._)
New term	8390/3	Adnexal <b>adenocarcinoma</b> , NOS (C44._)
New term	8401/3	Apocrine carcinoma (C44._)
New term	8403/3	Malignant neoplasms arising from spiradenoma, <b>cylindroma, or spiradenocylindroma</b> (C44._)
New behavior code and term	8406/3	Syringocystadenocarcinoma papilliferum (C44._)
New behavior code and term	8409/2	Porocarcinoma <b>in situ</b> (C44._)
New term	8430/3	<b>Sclerosing</b> mucoepidermoid carcinoma <b>with eosinophilia</b> (C73.9)
New behavior code and term	8441/2	Serous <b>tubal intraepithelial</b> carcinoma (C57.0)
New behavior code and term	8441/2	Serous <b>endometrial intraepithelial</b> carcinoma (C54._)
New term	8441/3	Serous cystadenocarcinoma, NOS (C25._, C56.9)
New term	8452/3	Solid pseudopapillary neoplasm of the pancreas (C25._) Solid pseudopapillary neoplasm with high-grade carcinoma (C25._)
New code and term	8455/2	<b>Intraductal oncocytic papillary neoplasm, NOS</b> (C25._)
New code and term	8455/3	<b>Intraductal oncocytic papillary neoplasm with associated invasive carcinoma</b> (C25._)
New behavior code and term	8460/2	Serous <b>borderline tumour</b> - micropapillary variant (C56.9)
New behavior code and term	8460/2	<b>Non-invasive low-grade</b> serous carcinoma (C56.9)
New term	8460/3	<b>Low-grade</b> serous carcinoma (C48._, C56.9, C57._)
New term	8461/3	<b>High-grade</b> serous carcinoma (C48._, C56.9, C57._)
New code and term	8474/3	<b>Seromucinous carcinoma</b> (C56.9)
New behavior code and term	8480/2	<b>High-grade</b> appendiceal mucinous neoplasm (C18.1)
New term	8480/3	Mucinous <b>tubular and spindle cell</b> carcinoma (C64.9)

Status	ICD-O-3	Term
New term	8482/3	Mucinous carcinoma, <b>gastric type</b> (C53._)
New term	8490/3	Signet ring cell/ <b>histiocytoid</b> carcinoma (C44._)
New term	8500/3	<b>Adenocarcinoma of mammary gland type</b> (C51._)
New term	8502/3	Secretory carcinoma (C07._, C08._, C50._, C69.5)
New term	8503/2	Intraductal tubulopapillary neoplasm (C25._)
New term	8504/2	<b>Encapsulated papillary carcinoma</b> (C50._)
New term	8504/3	<b>Encapsulated papillary carcinoma with invasion</b> (C50._)
New behavior code and term	8507/3	<b>Invasive</b> micropapillary carcinoma (C50._)
New code and term	<b>8509/2</b>	<b>Solid papillary carcinoma in situ</b> (C50._)
New code and term	<b>8509/3</b>	<b>Solid papillary carcinoma invasive</b> (C50._)
New code and term	<b>8509/3</b>	<b>Endocrine mucin-producing sweat gland carcinoma</b> (C44._)
New term	8510/3	<b>Renal</b> medullary carcinoma (C64.9)
New code and term	<b>8519/2</b>	<b>Pleomorphic lobular carcinoma in situ</b> (C50._)
New term	8551/3	Acinar <b>adenocarcinoma</b> (C34._)
New term	8560/3	Squamoid <b>eccrine ductal</b> carcinoma (C44._)
New term	8570/3	<b>Endometrioid carcinoma</b> with squamous differentiation (C54._)
New term	8570/3	<b>Low grade</b> adenosquamous carcinoma (C50._)
New term	8571/3	<b>Metaplastic carcinoma</b> with <b>chondroid</b> differentiation (C50._)
New term	8571/3	<b>Metaplastic carcinoma</b> with osseous differentiation (C50._)
New term	8572/3	<b>Fibromatosis-like</b> metaplastic carcinoma (C50._)
New term	8572/3	<b>Acinar</b> adenocarcinoma, <b>sarcomatoid</b> (C61.9)
New term	8580/3	<b>Metaplastic thymoma / Sclerosing thymoma</b> (C37.9)
New term	8580/3	<b>Ectopic</b> thymoma (C73.9)
<b>Behavior code change (1→3)</b>	<b>8581/3</b>	<b>Type A thymoma, including atypical variant</b> (C37.9)
<b>Behavior code change (1→3)</b>	<b>8582/3</b>	<b>Type AB thymoma</b> (C37.9)
<b>Behavior code change (1→3)</b>	<b>8583/3</b>	<b>Type B1 thymoma</b> (C37.9)
<b>Behavior code change (1→3)</b>	<b>8584/3</b>	<b>Type B2 thymoma</b> (C37.9)
<b>Behavior code change (1→3)</b>	<b>8585/3</b>	<b>Type B3 thymoma</b> (C37.9)

Status	ICD-O-3	Term
New term	8589/3	<b>Intrathyroid thymic</b> carcinoma (C73.9)
Behavior code change (1→3)	8690/3	Middle ear paraganglioma (C75.5)
Behavior code change (1→3)	8692/3	Carotid body paraganglioma (C75.4)
Behavior code change (1→3)	8693/3	Extra-adrenal paraganglioma, NOS (C17.~, C24.1)
New term	8693/3	Vagal paraganglioma (C75.5)
New term	8693/3	Laryngeal paraganglioma (C75.5)
New term	8693/3	Sympathetic paragangliomas (C75.5)
New term	8693/3	<b>Composite</b> paraganglioma (C75.5)
New term	8693/3	Paraganglioma (C73.9, C75.1)
Behavior code change (0→3)	8700/3	Pheochromocytoma (C74.1)
New term	8700/3	<b>Composite</b> pheochromocytoma (C74.1)
New code and term	<b>8714/3</b>	<b>Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C15-C26, C34.~, C47.~, C49.~, C54.~)</b> <b>Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67.~, C68.~)</b>
New term	8720/3	<b>Mucosal</b> melanoma (genital, oral, sinonasal)
New term	8721/3	<b>Mucosal</b> nodular melanoma (genital, oral, sinonasal)
New term	8743/3	<b>Low-CSD (cumulative sun damage)</b> melanoma (C44.~)
New term	8744/3	Acral melanoma (C44.~)
New term	8770/3	<b>Malignant Spitz tumor (Spitz melanoma)</b> (C44.~)
New term	8780/3	<b>Melanoma</b> arising in blue nevus (C44.~)
New term	8801/3	<b>Undifferentiated</b> spindle cell sarcoma (C47.~, C49.~)
New term	8802/3	<b>Undifferentiated</b> pleomorphic sarcoma (C47.~, C49.~)
New term	8802/3	Pleomorphic <b>dermal</b> sarcoma (C44.~)
New term	8803/3	<b>Undifferentiated</b> round cell sarcoma (C47.~, C49.~)
New term	8804/3	<b>Undifferentiated</b> epithelioid sarcoma (C47.~, C49.~)
New term	8815/3	Solitary fibrous tumor, <b>grade 3 (C70.~, C71.~, C72.~)</b>
New behavior code and term	8825/3	<b>Low-grade</b> myofibrilastic <b>sarcoma (C47.~, C49.~)</b>
New behavior code and term	8825/3	Myofibroblastic <b>sarcoma</b>

Status	ICD-O-3	Term
New behavior code and term	8825/3	Epithelioid inflammatory myofibroblastic sarcoma (C15-C26)
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma of <b>bone</b> (C40._, C41._)
<b>Behavior code change (3→1)</b>	<b>8832/1</b>	<b>Dermatofibrosarcoma protuberans (C47._, C49._)</b>
New term	8832/3	<b>Fibrosarcomatous</b> dermatofibrosarcoma protuberans (C47._, C49._)
<b>Behavior code change (3→1)</b>	<b>8833/1</b>	<b>Pigmented dermatofibrosarcoma protuberans (C44._, C47._, C49._)</b> <b>Bednar tumor (C44._)</b>
New term	8840/3	<b>Low-grade fibromyxoid sarcoma (C47._, C49._)</b> <b>Sclerosing epithelioid fibrosarcoma (C47._, C49._)</b>
New behavior code and term	8842/3	<b>Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34._)</b> <b>Ossifying fibromyxoid tumour, malignant (C47._, C49._)</b>
New term	8912/3	Sclerosing rhabdomyosarcoma
New term	8936/3	<b>Extra-gastrointestinal stromal tumour (C48._)</b>
New term	8963/3	<b>Extra-renal rhabdoid tumour (C47._, C49._)</b>
New behavior code and term	8983/3	Adenomyoepithelioma <b>with carcinoma (C50._)</b>
New term	8990/3	<b>Phosphaturic</b> mesenchymal tumor, malignant
New term	9020/3	<b>Periductal stromal tumor, low grade (C50._)</b>
New term	9044/3	<b>Dermal</b> clear cell sarcoma (C44._)
New code and term	<b>9045/3</b>	<b>Biphenotypic sinonasal sarcoma (C30.0, C31._)</b>
Behavior code change (3→1)	9080/1	<b>Immature teratoma (C34._)</b> <b>Immature teratoma (C37.9)</b> Immature teratoma ( <b>grade 2</b> ) (C73.9)
New term	9081/3	Teratocarcinosarcoma (C30.0, C31._)
New term	9084/3	<b>Germ cell tumours with sometic-type solid malignancy (C37.9)</b>
New code and term	<b>9086/3</b>	<b>Germ cell tumours with associated haematological malignancy (C37.9)</b>
New term	9110/3	Adenocarcinoma of <b>rete ovarii (C56.9)</b>
Behavior code change (1→3)	9133/3	Epithelioid hemangioendothelioma (C30.0, C31._, C44._)
New code and term	<b>9137/3</b>	<b>Pulmonary artery intimal sarcoma (C34._)</b> <b>Intimal sarcoma (C47._, C49._)</b>
New term	9180/3	<b>Extraskeletal</b> osteosarcoma (C47._, C49._)



Status	ICD-O-3	Term
New term	9187/3	Low-grade <b>central / intramedullary</b> osteosarcoma (C40._, C41._)
New term	9220/3	Chondrosarcoma, <b>grade 2/3</b> (C12.9, C13._, C14._, C32._, C33.9, C41.0, C41.1)
New code and term	<b>9222/1</b>	<b>Chondrosarcoma, grade 1 (C12.9, C13._, C14._, C32._, C33.9, C41.0, C41.1)</b>
New term	9231/3	<b>Extraskeletal</b> myxoid chondrosarcoma (C47._, C49._)
New term	9270/3	<b>Sclerosing</b> odontogenic carcinoma (C41.0, C41.1)
New behavior code and term	9302/3	Ghost cell odontogenic <b>carcinoma</b> (C41.0, C41.1)
New term	9330/3	<b>Odontogenic sarcomas</b> (C41.0, C41.1)
New behavior code and term	9341/3	Clear cell odontogenic <b>carcinoma</b> (C41.0, C41.1)
New code and term	<b>9385/3</b>	<b>Diffuse midline glioma, H3 K27M-mutant (C71._)</b>
New behavior code and term	9391/1	<b>Sellar ependymoma (C75.1) [nonreportable]</b>
New code and term	<b>9396/3</b>	<b>Ependymoma, RELA fusion-positive (C71._)</b>
New term	9400/3	Diffuse astrocytoma, <b>IDH-mutant / IDH-wildtype</b> (C71._)
New term	9401/3	Anaplastic astrocytoma, <b>IDH-mutant / IDH-wildtype</b> (C71._)
New term	9424/3	<b>Anaplastic</b> pleomorphic xanthoastrocytoma (C71._)
New term	9440/3	<b>Epithelioid</b> glioblastoma (C71._)
New term	9440/3	Glioblastoma, <b>IDH-wildtype (C71._)</b>
New code and term	<b>9445/3</b>	<b>Glioblastoma, IDH-mutant (C71._)</b>
New term	9450/3	Oligodendroglioma, <b>IDH-mutant and 1p/19q-codeleted (C71._)</b>
New term	9451/3	Anaplastic oligodendroglioma, <b>IDH-mutant and 1p/19q-codeleted (C71._)</b>
New term	9470/3	Medulloblastoma, <b>classic</b>
New term	9471/3	Medulloblastoma, <b>SHH-activated and TP53-wildtype (C71._)</b>
New term	9473/3	<b>CNS embryonal tumour, NOS (C71._)</b>
New code and term	<b>9475/3</b>	<b>Medulloblastoma, WNT-activated(C71._)</b>
New code and term	<b>9476/3</b>	<b>Medulloblastoma, SHH-activated and TP53-mutant (C71._)</b>
New code and term	<b>9477/3</b>	<b>Medulloblastoma, non-WNT/non-SHH (C71._)</b> <b>Medulloblastoma, group 3 / group 4 (C71._)</b>
New code and term	<b>9478/3</b>	<b>Embryonal tumour with multilayered rosettes, C19MC-altered (C71._)</b> <b>Embryonal tumour with multilayered rosettes, NOS (C71._)</b>

Status	ICD-O-3	Term
New term	9490/3	Ganglioneuroblastoma, <b>nodular</b> (C74.1)
New term	9490/3	Ganglioneuroblastoma, <b>intermixed</b> (C74.1)
New term	9508/3	<b>CNS embryonal tumour with rhabdoid features (C71._)</b>
New term	9540/3	<b>MPNST with perineurial differentiation (C72._)</b>
New code and term	<b>9542/3</b>	<b>Epithelioid malignant peripheral nerve sheath tumour (C44._, C47._, C49._)</b>
New behavior code and term	9591/1	<b>Monoclonal B-cell lymphocytosis, non-CLL-type</b>
New behavior code and term	9673/1	<b>In situ</b> mantle cell neoplasia
New behavior code and term	9680/1	EBV-positive mucocutaneous ulcer
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), <b>Germinal centre B-cell subtype</b>
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), <b>Activated B-cell subtype</b>
New term	9680/3	<b>Fibrin-associated</b> diffuse large B-cell lymphoma
New term	9680/3	<b>High-grade</b> B-cell lymphoma <b>with MYC and BCL2 and/or BCL6 rearrangements</b>
New term	9680/3	<b>High-grade</b> B-cell lymphoma, NOS
New term	9680/3	<b>Vitreoretinal</b> lymphoma (C69.2)
New term	9687/3	Burkitt-like lymphoma <b>with 11q aberration</b>
New term	9690/3	<b>Testicular</b> follicular lymphoma <b>Paediatric-type</b> follicular lymphoma
New behavior code and term	9695/1	<b>In situ</b> follicular neoplasia
New term	9695/3	<b>Duodenal-type</b> follicular lymphoma
New term	9698/3	<b>Large B-cell lymphoma with IRF4 rearrangement</b>
New term	9699/3	<b>Primary choroidal</b> lymphoma (C69.3)
New behavior code and term	9702/1	<b>Indolent T-cell lymphoproliferative disorder of the gastrointestinal tract</b>
New term	9702/3	<b>Follicular</b> T-cell lymphoma <b>Nodal</b> peripheral T-cell lymphoma <b>with T follicular helper phenotype</b>
Behavior code change (3→1)	9709/1	Primary cutaneous CD4-positive small/medium T-cell lymphoproliferative disorder
New term	9709/3	Primary cutaneous <b>acral</b> CD8-positive T-cell lymphoma
New code and term	<b>9715/3</b>	<b>Anaplastic large cell lymphoma, ALK-negative [originally 9702/3]</b> <b>Breast implant-associated anaplastic large cell lymphoma</b>

Status	ICD-O-3	Term
New term	9717/3	<b>Monomorphic epitheliotropic</b> intestinal T-cell lymphoma
Behavior code change (3→1)	9718/1	Lymphomatoid papulosis (C44._)
Behavior code change (3→1)	9725/1	Hydroa vacciniforme-like lymphoproliferative disorder
New behavior code and term	9738/1	HHV8-positive <b>germinotropic lymphoproliferative disorder</b>
New code and term	<b>9749/3</b>	<b>Erdheim-Chester disease</b>
Behavior code change (3→1)	9751/1	Langerhans cell histiocytosis, NOS Langerhans cell histiocytosis, monostotic Langerhans cell histiocytosis, polystotic
New behavior code and term	9761/1	<b>IgM monoclonal gammopathy of undetermined significance</b>
New term	9765/1	<b>Non-IgM</b> monoclonal gammopathy of undetermined significance
New term	9766/1	Lymphomatoid granulomatosis, <b>grade 1, 2</b>
New behavior code and term	9766/3	<b>Lymphomatoid granulomatosis, grade 3</b>
New term	9769/1	Light chain and <b>heavy chain</b> deposition diseases <b>Monoclonal</b> immunoglobulin deposition diseases
New term	9807/3	Mixed-phenotype acute leukaemia with t(v; 11q23.3); <b>KMT2A</b> -rearranged
New term	9811/3	B-lymphoblastic leukaemia/lymphoma <b>with iAMP21</b>
New term	9813/3	B-lymphoblastic leukaemia/lymphoma with t(v; 11q23.3); <b>KMT2A</b> -rearranged
New code and term	<b>9819/3</b>	<b>B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like</b>
New behavior code and term	9823/1	<b>Monoclonal</b> B-cell lymphocytosis, <b>CLL-type</b>
New term	9840/3	<b>Pure</b> erythroid leukaemia
New term	9869/3	AML with inv(3)(q21.3q26.2) or t(3;3)(q21.3;q26.2); <b>GATA2, MECOM</b>
New code and term	<b>9877/3</b>	<b>AML with mutated NPM1</b> [originally 9861/3]
New code and term	<b>9878/3</b>	<b>AML with biallelic mutation of CEBPA</b> [originally 9861/3]
New code and term	<b>9879/3</b>	<b>AML with mutated RUNX1</b>
New term	9897/3	AML with t(9;11)(p21.3;q23.3); <b>KMT2A-MLL3</b>
New code and term	<b>9912/3</b>	<b>AML with BCR-ABL1</b>
New term	9966/3	Myeloid/ <b>lymphoid</b> neoplasms with PDGFRB
New code and term	<b>9968/3</b>	<b>Myeloid/lymphoid neoplasms with PCM1-JAK2</b>
Behavior code change (3→1)	9971/1	Polymorphic PTLD

Status	ICD-O-3	Term
New term	9980/3	<b>Myelodysplastic syndrome with single lineage dysplasia</b>
New term	9982/3	<b>Myelodysplastic/myeloproliferative</b> neoplasm with ring siderolasts and thrombocytosis <b>Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia</b>
New term	9983/3	<b>Myelodysplastic syndrome</b> with excess blasts
New term	9985/3	<b>Myelodysplastic syndrome with multilineage dysplasia</b>
New code and term	<b>9993/3</b>	<b>Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia</b>

說明：綠色網底表示為本次新增編碼與修訂敘述。