

發作	+人:	台灣癌症登記中心	
電	話:	02-2341-6012	
傳	真:	02-2351-1733	
地	址:	100 台北郵政 84-310 作	言箱
日	期:	109年8月3日	
編	號:	癌登第 109006 號	

2

诵

知

台灣癌症登記中心 Taiwan Cancer Registry

收文者: 所有申報醫院

副本收文者:衛生福利部國民健康署、台灣癌症登記學會、資拓宏宇國際股份 有限公司

記

中

主 題: 因應癌症登記實務作業之需求,請貴院依說明段辦理

☑ 急件	☑ 請檢閱	□請加註	□請回覆	□請回收
			山听日夜	

- 一、 本案係依衛生福利部國民健康署委託「台灣癌症登記工作計畫」辦理。
- 二、為維護癌症登記資料庫之正確性,針對膀胱癌 SSF2「區域淋巴結夾膜外侵 犯情形」,與「臨床 N」、「病理 N」組合結果不一致個案,將提供複查名 單,請貴院重新檢視後進行異動申報;該修正作業截止日期至 <u>109 年 9 月</u> 4 日止,且相關勘誤條件已加入第三季邏輯手冊中。
- 三、 需複查名單於第三季申報批次上線後(109 年 8 月 3 日),系統會自動寄 EMAIL 通知貴院窗口,屆時請至「癌症篩檢與追蹤管理資訊整合系統」 https://hosplab.hpa.gov.tw/CSTIIS/index.aspx,下載貴院已申報之複查名 單;請依據院際複查方式(參考癌登 109002 號通知文內容),下載名單後 進行線上回覆與異動申報。
- 四、 依據 2020 年出版 WHO Classification of Tumours 第 5 版 Soft Tissue and Bone Tumours,彙整最新病理組織型態編碼表(詳見附件),適用於 2020 診斷年以後個案。

附件 Updates to the International Classification of Diseases for Oncology, third edition (ICD-O-3)

Status	ICD-O-3	Term
New term	8010/3	Urachal carcinoma (C65.9, C66.9, C67, C68)
New term	8020/3	Poorly differentiated urothelial carcinoma (C65.9, C66.9, C67, C68)
New term	8020/3	Anaplastic thyroid carcinoma (C73.9)
New code and term	8023/3	NUT carcinoma (C30.0, C31, C34, C37.9)
New term	8033/3	Carcinoma with sarcomatoid component (C18, C19.9, C20.9)
New term	8035/3	Squamous cell carcinoma with osteoclast-like giant cells (C44)
New term	8041/3	High-grade neuroendocrine carcinoma (C54, C55.9)
New term	8041/3	Neuroendocrine carcinoma, poorly differentiated (C50)
New term	8041/3	Small cell carcinoma, pulmonary type (C56.9)
New term	8044/3	Small cell carcinoma, hypercalcaemic type (C56.9)
New code and term	8054/3	Warty carcinoma (C60) [originally 8051/3]
New code and term	8054/3	Condylomatous carcinoma (C60) [originally 8051/3]
New behavior code and term	8071 /2	Differentiated-type vulvar intraepithelial neoplasia (C51) Differentiated penile intraepithelial neoplasia (C60)
New term	8071/3	Keratoacanthoma (C44, C69.0)
New term	8074/3	Pseudovascular squamous cell carcinoma (C44)
New term	8077/2	Penile intraepithelial neoplasia (C60)
New term	8077/2	Oral epithelial dysplasia, high grade (C00, C02, C03, C04, C05, C06)
New code and term	8085/3	Squamous cell carcinoma, HPV-positive (C01.9, C02.4, C05.1, C05.2, C09, C10, C31)
New code and term	8086/3	Squamous cell carcinoma, HPV-negative (C01.9, C02.4, C05.1, C05.2, C09, C10, C31)
New term	8090/3	Basal cell carcinoma with adnexal differentiation (C44)
New term	8091/3	Superficial basal cell carcinoma (C44)
New term	8092/3	Basal cell carcinoma with sarcomatoid differentiation (C44)
New behavior code and term	8100 /3	Trichoblastic carcinoma/carcinosarcoma (C44)
New term	8120/3	Squamotransitional cell carcinoma (C53)
New term	8140/3	Parathyroid carcinoma (C75.0)
New term	8140/3	Endolymphatic sac tumor (C30.1)

Status	ICD-O-3	Term
		Intestinal-type adenoma, high grade (C16, C17, C24.1)
New behavior code and term	8144/2	Sporadic intestinal-type gastric adenoma (C16)
		Syndromic intestinal-type gastric adenoma (C16)
New term	8144/3	Enteric adenocarcinoma (C34, C65.9, C66.9, C67, C68)
New term	8144/3	Mucinous carcinoma, intestinal type (C53)
		Islet cell adenoma (C25)
Behavior code change $(0 \rightarrow 3)$	8150 /3	Islet cell adenomatosis (C25)
		Nesidioblastoma (C25)
Behavior code change $(1 \rightarrow 3)$	8150 /3	Islet cell tumor, NOS (C25)
		Pancreatic endocrine tumor, NOS (C25)
		Oncocytic neuroendocrine tumor, non-functioning pancreatic (C25)
New term	8150/3	Pleomorphic neuroendocrine tumor, non-functioning pancreatic (C25)
	0100/0	Clear cell neuroendocrine tumor, non-functioning pancreatic (C25)
		Cystic neuroendocrine tumor, non-functioning pancreatic (C25)
Behavior code change $(0 \rightarrow 3)$	8151 /3	Insulinoma (C25)
		Beta cell adenoma (C25)
	8152 /3	Glucagonoma (C25)
		Pancreatic peptide and pancreatic peptide-like peptide within terminal tyrosine amide producing tumor (C25)
Behavior code change $(1 \rightarrow 3)$		L-cell tumor (C18, C19.9, C20.9, C25)
		Glucagon-like peptide-producing tumor (C18, C19.9, C20.9, C25)
		PP/PYY producing tumor (C18, C19.9, C20.9, C25)
	8153 /3	Gastrinoma (C16, C17, C24.1, C25)
Behavior code change $(1 \rightarrow 3)$		G cell tumor
		Gastrin cell tumor
New term	8154/3	Mixed ductal- neuro endocrine carcinomas (C25)
New term	8154/3	Mixed acinar- neuro endocrine carcinomas (C25)
New term	8154/3	Mixed neuroendocrine non-neuroendocrine neoplasm (MiNEN) (C15-C26)
Behavior code change (1 →3)	8155 /3	VIPoma (C25)
Behavior code change $(1 \rightarrow 3)$	8156 /3	Somatostatinoma (C16, C17, C24.1, C25)
	0100/0	Somatostatin cell tumor

Status	ICD-O-3	Term
New behavior code and term	8158 /3	ACTH-producing tumour with Cushing syndrome (C25)
Behavior code change (1 →3)	8158 /3	ACTH-producing tumour (C25) Endocrine tumor, functioning, NOS
New term	8160/3	Large duct intrahepatic cholangiocarcinoma (C22.1) Small duct intrahepatic cholangiocarcinoma (C22.1)
New term	8163/2	Intra-ampullary papillary-tubular neoplasm (C17, C24.1)
New term	8174/3	Hepatocellular carcinoma, steatohepatitis (C22.0) Hepatocellular carcinoma, macrotrabecular massive (C22.0) Hepatocellular carcinoma, chromophobe (C22.0) Hepatocellular carcinoma, neutrophil-rich (C22.0) Hepatocellular carcinoma, lymphocyte-rich (C22.0)
New term	8200/3	Thymic carcinoma with adenoid cystic carcinoma-like features (C37.9)
New term	8200/3	Classic adenoid cystic carcinoma (C50) Solid-basaloid adenoid cystic carcinoma (C50) Adenoid cystic carcinoma with high-grade transformation (C50)
New term	8210/2	Adenomatous polyp, high-grade dysplasia (C16, C17, C18, C19.9, C20.9, C24.1)
New behavior code and term	8211 /2	Tubular adenoma, high grade (C18, C19.9, C20.9)
New behavior code and term	8213 /2	Serrated dysplasia, high grade (C16, C17, C18, C19.9, C20.9, C24.1) Intestinal-type dysplasia (C16) Foveolar-type (gastric-type) dysplasia (C16) Gastric pit/crypt dysplasia (C16) Hyperplastic polyp, microvesicular type (C18, C19.9, C20.9) Hyperplastic polyp, goblet cell (C18, C19.9, C20.9)
Behavior code change $(1 \rightarrow 3)$	8241 /3	Carcinoid tumor, argentaffin
New term	8241/3	Serotonin-producing tumour with and without carcinoid syndrome (C25)
Behavior code change (1 →3)	8242 /3	Enterochromaffin-like cell carcinoid, NOS ECL cell carcinoid, NOS
New term	8243/3	Goblet cell adenocarcinoma (C18.1)
New term	8249/3	Neuroendocrine tumor, grade 3 (C15-C26)
New behavior code and term	8250 /2	Adenocarcinoma in situ, non-mucinous (C34)
New term	8250/3	Lepidic adenocarcinoma (C34)

Status	ICD-O-3	Term	
New behavior code and term	8253 /2	Adenocarcinoma in situ, mucinous (C34)	
New term	8253/3	Invasive mucinous adenocarcinoma (C34)	
New term	8254/3	Mixed invasive mucinous and non-mucinous adenocarcinoma (C34)	
New code and term	8256/3	Minimally invasive adenocarcinoma, non-mucinous (C34)	
New code and term	8257/3	Minimally invasive adenocarcinoma, mucinous (C34)	
New term	8261/2	Villous adenoma, high grade (C18, C19.9, C20.9)	
New term	8262/3	Adenoma-like adenocarcinoma (C18, C19.9, C20.9)	
New term	8263/2	Tubulovillous adenoma, high grade (C18, C19.9, C20.9)	
New term	8263/3	Endometrioid adenocarcinoma, villoglandular (C54, C55.9)	
New term	8263/3	Villoglandular carcinoma (C53)	
New term	8265/3	Micropapillary adenocarcinoma (C18, C19.9, C20.9, C34)	
New code and term	8273/3	Pituitary blastoma (C75.1)	
New code and term	8311/3	Hereditary leiomyomatosis and renal cell carcinoma-associated renal cell carcinoma (C64.9) MiT family translocation renal cell carcinomas (C64.9)	
New term	8312/3	Succinate dehydrogenase-deficient renal carcinoma (C64.9)	
New term	8316/3	Acquired cystic disease-associated renal cell carcinoma (C64.9) Tubulocystic renal cell carcinoma (C64.9)	
Behavior code change (3→1)	8323/1	Clear cell papillary renal cell carcinoma (C64.9) [MP/H 8255/3→8323/1]	
New term	8330/3	Follicular thyroid carcinoma (FTC), widely invasive (C73.9)	
Behavior code change (3→1)	8335/1	Follicular carcinoma, encapsulated (C73.9)	
New term	8337/3	Poorly differentiated thyroid carcinoma (C73.9)	
New code and term	8339/3	Follicular thyroid carcinoma (FTC), encapsulated angioinvasive (C73.9)	
New term	8342/3	Oncocytic variant of papillary thyroid carcinoma (PTC) (C73.9)	
New term	8345/3	Medullary thyroid carcinoma (C73.9)	
New code and term	8349/1	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (C73.9) [nonreportable]	
New behavior code and term	8380 /2	Atypical hyperplasia / Endometrioid intraepithelial neoplasia (C54)	
New term	8390/3	Adnexal adeno carcinoma, NOS (C44)	
New term	8401/3	Apocrine carcinoma (C44)	

Status	ICD-O-3	Term
New term	8403/3	Malignant neoplasms arising from spiradenoma, cylindroma, or spiradenocylindroma (C44)
New behavior code and term	8406/ 3	Syringocystadeno carcinoma papilliferum (C44)
Behavior code change (1→3)	8408/3	Aggressive digital papillary adenoma (C44)
New behavior code and term	8409 /2	Porocarcinoma in situ (C44)
New term	8430/3	Sclerosing mucoepidermoid carcinoma with eosinophilia (C73.9)
New behavior code and term	8441 /2	Serous tubal intraepithelial carcinoma (C57.0)
New behavior code and term	8441 /2	Serous endometrial intraepithelial carcinoma (C54)
New term	8441/3	Serous cystadenocarcinoma, NOS (C25 , C56.9)
New term	8452/3	Solid pseudopapillary neoplasm of the pancreas (C25) Solid pseudopapillary neoplasm with high-grade carcinoma (C25)
New code and term	8455/2	Intraductal oncocytic papillary neoplasm, NOS (C25)
New code and term	8455/3	Intraductal oncocytic papillary neoplasm with associated invasive carcinoma (C25)
New behavior code and term	8460 /2	Serous borderline tumour - micropapillary variant (C56.9)
New behavior code and term	8460 /2	Non-invasive low-grade serous carcinoma (C56.9)
New term	8460/3	Low-grade serous carcinoma (C48, C56.9, C57)
New term	8461/3	High-grade serous carcinoma (C48, C56.9, C57)
New term	8470/3	Mucinous cystadenocarcinoma NOS (C50)
New code and term	8474/3	Seromucinous carcinoma (C56.9)
New behavior code and term	8480 /2	High-grade appendiceal mucinous neoplasm (C18.1)
New term	8480/3	Mucinous tubular and spindle cell carcinoma (C64.9)
New term	8482/3	Mucinous carcinoma, gastric type (C53)
New term	8490/3	Signet ring cell/histiocytoid carcinoma (C44)
New term	8500/2	DCIS of low nuclear grade (C50) DCIS of intermediate nuclear grade (C50) DCIS of high nuclear grade (C50)
New term	8500/3	Adenocarcinoma of mammary gland type (C51)
New term	8502/3	Secretory carcinoma (C07, C08, C50, C69.5)
New term	8503/2	Intraductal tubulopapillary neoplasm (C25)
New term	8504/2	Encapsulated papillary carcinoma (C50)

Status	ICD-O-3	Term
Behavior code change (3→2)	8504/2	Intracystic carcinoma, NOS
	000 112	Intracystic papillary adenocarcinoma
New term	8504/3	Encapsulated papillary carcinoma with invasion (C50)
New behavior code and term	8507 /3	Invasive micropapillary carcinoma (C50)
New code and term	8509/2	Solid papillary carcinoma in situ (C50)
New code and term	8509/3	Solid papillary carcinoma invasive (C50)
	0509/5	Tall cell carcinoma with reversed polarity (C50)
New code and term	8509/3	Endocrine mucin-producing sweat gland carcinoma (C44)
New term	8510/3	Renal medullary carcinoma (C64.9)
New code and term	8519/2	Pleomorphic lobular carcinoma in situ (C50)
New term	8520/2	Florid lobular carcinoma in situ (C50)
New term	8551/3	Acinar adenocarcinoma (C34)
New term	8560/3	Squamoid eccrine ductal carcinoma (C44)
New term	8570/3	Endometrioid carcinoma with squamous differentiation (C54)
New term	8570/3	Low grade adenosquamous carcinoma (C50)
New term	8571/3	Metaplastic carcinoma with chondroid differentiation (C50)
New term	8571/3	Metaplastic carcinoma with osseous differentiation (C50)
New term	8572/3	Fibromatosis-like metaplastic carcinoma (C50)
New term	8572/3	Acinar adenocarcinoma, sarcomatoid (C61.9)
New term	8580/3	Metaplastic thymoma / Sclerosing thymoma (C37.9)
New term	8580/3	Ectopic thymoma (C73.9)
Behavior code change (1→3)	8581/3	Type A thymoma, including atypical variant (C37.9)
Behavior code change (1→3)	8582/3	Type AB thymoma (C37.9)
Behavior code change (1→3)	8583/3	Type B1 thymoma (C37.9)
Behavior code change (1→3)	8584/3	Type B2 thymoma (C37.9)
Behavior code change (1→3)	8585/3	Type B3 thymoma (C37.9)
New term	8589/3	Intrathyroid thymic carcinoma (C73.9)
Behavior code change (1 →3)	8680 /3	Paraganglioma, NOS (C75.5)

Status	ICD-O-3	Term
Behavior code change (1 →3)	8681 /3	Sympathetic paraganglioma
Behavior code change (1 →3)	8682 /3	Parasympathetic paraganglioma
Behavior code change (1 →3)	8690 /3	Middle ear paraganglioma (C75.5) Glomus jugulare tumor, NOS (C75.5) Jugular paraganglioma (C75.5) Jugulotympanic paraganglioma (C75.5)
Behavior code change (1 →3)	8691 /3	Aortic body tumor (C75.5) Aortic body paraganglioma (C75.5) Aorticopulmonary paraganglioma (C75.5)
Behavior code change $(1 \rightarrow 3)$	8692 /3	Carotid body paraganglioma (C75.4) Carotid body tumor (C75.4)
Behavior code change (1 →3)	8693 /3	Extra-adrenal paraganglioma, NOS (C17, C24.1) Nonchromaffin paraganglioma, NOS Chemodectoma
New term	8693/3	Vagal paraganglioma (C75.5) Laryngeal paraganglioma (C75.5) Sympathetic paragangliomas (C75.5) Composite paraganglioma (C75.5) Paraganglioma (C73.9, C75.1)
Behavior code change (0 →3)	8700 /3	Pheochromocytoma (C74.1) Adrenal medullary paraganglioma (C74.1) Chromaffin paraganglioma Chromaffin tumor Chromaffinoma
New term	8700/3	Composite pheochromocytoma (C74.1)
New code and term	8714/3	Neoplasms with perivascular epithelioid cell differentiation (PEComa) NOS, malignant (C15-C26, C34, C47, C49, C54) Perivascular epithelioid cell tumour, malignant (C65.9, C66.9, C67, C68) Perivascular epithelioid tumour, malignant (C47, C49)
New term	8720/3	Mucosal melanoma (genital, oral, sinonasal)
New term	8721/3	Mucosal nodular melanoma (genital, oral, sinonasal)
New term	8743/3	Low-CSD (cumulative sun damage) melanoma (C44)

Status	ICD-O-3	Term
New term	8744/3	Acral melanoma (C44)
New term	8770/3	Malignant Spitz tumor (Spitz melanoma) (C44)
New term	8780/3	Melanoma arising in blue nevus (C44)
New term	8801/3	Undifferentiated spindle cell sarcoma (C47, C49)
New term	8802/3	Undifferentiated pleomorphic sarcoma (C47, C49) Pleomorphic dermal sarcoma (C44)
New term	8803/3	Undifferentiated round cell sarcoma (C47, C49)
New term	8804/3	Undifferentiated epithelioid sarcoma (C47, C49) Proximal or large cell epithelioid sarcoma (C47, C49) Classic epithelioid sarcoma (C47, C49)
New term	8811/3	Myxofibrosarcoma (C47, C49) Epithelioid myxofibrosarcoma (C47, C49)
New term	8815/3	Solitary fibrous tumor, grade 3 (C70, C71, C72)
New behavior code and term	8825 /3	Low-grade myofibriblastic sarcoma (C47, C49) Myofibroblastic sarcoma (C47, C49) Epithelioid inflammatory myofibroblastic sarcoma (C15-C26)
New term	8830/3	Undifferentiated high-grade pleomorphic sarcoma of bone (C40, C41)
Behavior code change (3→1)	8832/1	Dermatofibrosarcoma protuberans (C47, C49)
New term	8832/3	 Fibrosarcomatous dermatofibrosarcoma protuberans (C47, C49) Myxoid dermatofibrosarcoma protuberans (C47, C49) Dermatofibrosarcoma protuberans with myoid differentiation (C47, C49) Plaque-like dermatofibrosarcoma protuberans (C47, C49)
Behavior code change (3→1)	8833/1	Pigmented dermatofibrosarcoma protuberans (C44, C47, C49) Bednar tumor (C44)
New term	8840/3	Low-grade fibromyxoid sarcoma (C47, C49) Sclerosing epithelioid fibrosarcoma (C47, C49)
New behavior code and term	8842 /3	Pulmonary myxoid sarcoma with EWSR1-CREB1 translocation (C34) Ossifying fibromyxoid tumour, malignant (C47, C49)
New term	8854/3	Epithelioid liposarcoma (C47, C49)
New code and term	8859/3	Myxoid pleomorphic liposarcoma (C47, C49)

Status	ICD-O-3	Term
New term	8912/3	Sclerosing rhabdomyosarcoma Congenital spindle cell rhabdomyosarcoma with VGLL2/NCOA2/CITED2 rearrangements (C47, C49) MYOD1-mutant spindle cell / sclerosing rhabdomyosarcoma (C47, C49) Intraosseous spindle cell rhabdomyosarcoma (with TFCP2/NCOA2 rearrangements) (C47, C49)
New term	8936/3	Extra-gastrointestinal stromal tumour (C48)
New term	8963/3	Extra-renal rhabdoid tumour (C47, C49)
New behavior code and term	8983 /3	Adenomyoepithelioma with carcinoma (C50)
New term	8990/3	Phosphaturic mesenchymal tumor, malignant
New term	9020/3	Periductal stromal tumor, low grade (C50)
New term	9044/3	Dermal clear cell sarcoma (C44)
New code and term	9045/3	Biphenotypic sinonasal sarcoma (C30.0, C31)
Behavior code change (3→1)	9080 /1	Immature teratoma (C34) Immature teratoma (C37.9) Immature teratoma (grade 2) (C73.9)
New term	9081/3	Teratocarcinosarcoma (C30.0, C31)
New term	9084/3	Germ cell tumours with sometic-type solid malignancy (C37.9)
New code and term	9086/3	Germ cell tumours with associated haematological malignancy (C37.9)
New term	9110/3	Adenocarcinoma of rete ovarii (C56.9)
New term	9120/3	Postradiation angiosarcoma (C50) Epithelioid angiosarcoma (C50)
Behavior code change $(1 \rightarrow 3)$	9133 /3	Epithelioid hemangioendothelioma (C30.0, C31, C44, C40, C41, C47, C49)
New term	9133/3	Epithelioid hemangioendothelioma with WWTR1-CAMTA1 fusion (C47, C49) Epithelioid hemangioendothelioma with YAP1-TFE3 fusion (C47, C49)
New code and term	9137/3	Pulmonary artery intimal sarcoma (C34) Intimal sarcoma (C47, C49)
New term	9180/3	Extraskeletal osteosarcoma (C47, C49)
New term	9184/3	Secondary osteosarcoma (C40, C41)
New term	9187/3	Low-grade central / intramedullary osteosarcoma (C40, C41)
New term	9220/3	Chondrosarcoma, grade 2/3 (C12.9, C13, C14, C32, C33.9, C41.0, C41.1)
New code and term	9222/1	Chondrosarcoma, grade 1 (C12.9, C13, C14, C32, C33.9 , C41.0, C41.1)
New code and term	9222/3	Chondrosarcoma, grade 1 (C40, C41)

Status	ICD-O-3	Term
New term	9231/3	Extraskeletal myxoid chondrosarcoma (C47, C49)
New term	9270/3	Sclerosing odontogenic carcinoma (C41.0, C41.1)
New behavior code and term	9302/ 3	Ghost cell odontogenic carcinoma (C41.0, C41.1)
New term	9330/3	Odontogenic sarcomas (C41.0, C41.1)
Behavior code change (1 →3)	9341 /3	Clear cell odontogenic tumor (C41.0, C41.1)
New behavior code and term	9341/ 3	Clear cell odontogenic carcinoma (C41.0, C41.1)
New code and term	9366/3	Round cell sarcoma with EWSR1-non-ETS fusions (C40, C41, C47, C49)
New code and term	9367/3	CIC-rearranged sarcoma (C40, C41, C47, C49)
New code and term	9368/3	Sarcoma with BCOR genetic alterations (C40, C41, C47, C49)
New term	9370/3	Poorly differentiated chordoma (C40, C41)
New code and term	9385/3	Diffuse midline glioma, H3 K27M-mutant (C71)
New behavior code and term	9391 /1	Sellar ependymoma (C75.1) [nonreportable]
New code and term	9396/3	Ependymoma, RELA fusion-positive (C71)
New term	9400/3	Diffuse astrocytoma, IDH-mutant / IDH-wildtype (C71)
New term	9401/3	Anaplastic astrocytoma, IDH-mutant / IDH-wildtype (C71)
New term	9424/3	Anaplastic pleomorphic xanthoastrocytoma (C71)
New term	9440/3	Epithelioid glioblastoma (C71)
New term	9440/3	Glioblastoma, IDH-wildtype (C71)
New code and term	9445/3	Glioblastoma, IDH-mutant (C71)
New term	9450/3	Oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71)
New term	9451/3	Anaplastic oligodendroglioma, IDH-mutant and 1p/19q-codeleted (C71)
New term	9470/3	Medulloblastoma, classic
New term	9471/3	Medulloblastoma, SHH-activated and TP53-wildtype (C71)
New term	9473/3	CNS embryonal tumour, NOS (C71)
New code and term	9475/3	Medulloblastoma, WNT-activated(C71)
New code and term	9476/3	Medulloblastoma, SHH-activated and TP53-mutant (C71)
New code and term	9477/3	Medulloblastoma, non-WNT/non-SHH (C71) Medulloblastoma, group 3 / group 4 (C71)

Status	ICD-O-3	Term
New code and term	9478/3	Embryonal tumour with multilayered rosettes, C19MC-altered (C71)
		Embryonal tumour with multilayered rosettes, NOS (C71)
New term	9490/3	Ganglioneuroblastoma, nodular (C74.1)
New term	9490/3	Ganglioneuroblastoma, intermixed (C74.1)
New term	9508/3	CNS embryonal tumour with rhabdoid features (C71)
New term	9540/3	MPNST with perineurial differentiation (C72)
New code and term	9542/3	Epithelioid malignant peripheral nerve sheath tumour (C44, C47, C49)
New behavior code and term	9591/ 1	Monoclonal B-cell lymphocytosis, non-CLL-type
New behavior code and term	9673/ 1	In situ mantle cell neoplasia
New term	9673/3	Conventional mantle cell lymphoma
		Leukaemic non-nodal mantle cell lymphoma
New behavior code and term	9680/1	EBV-positive mucocutaneous ulcer
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Germinal centre B-cell subtype
New term	9680/3	Diffuse large B-cell lymphoma (DLBCL), Activated B-cell subtype
New term	9680/3	Fibrin-associated diffuse large B-cell lymphoma
New term	9680/3	High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements
New term	9680/3	High-grade B-cell lymphoma, NOS
New term	9680/3	Vitreoretinal lymphoma (C69.2)
New term	9687/3	Burkitt-like lymphoma with 11q aberration Acute leukaemia, Burkitt type Endemic Burkitt lymphoma Sporadic Burkitt lymphoma Immunodeficiency-associated Burkitt lymphoma
New term	9690/3	Testicular follicular lymphoma Paediatric-type follicular lymphoma
New behavior code and term	9695/ 1	In situ follicular neoplasia
New term	9695/3	Duodenal-type follicular lymphoma
New term	9698/3	Large B-cell lymphoma with IRF4 rearrangement
New term	9699/3	Primary choroidal lymphoma (C69.3)
New behavior code and term	9702/ 1	Indolent T-cell lymphoproliferative disorder of the gastrointestinal tract

Status	ICD-O-3	Term
New term	9702/3	Follicular T-cell lymphoma Nodal peripheral T-cell lymphoma with T follicular helper phenotype
Behavior code change $(3 \rightarrow 1)$	9709/1	Primary cutaneous CD4-positive small/medium T-cell lymphoproliferative disorder
New term	9709/3	Primary cutaneous acral CD8-positive T-cell lymphoma
New code and term	9715/3	AnapIstic large cell lymphoma, ALK-negative [originally 9702/3] Breast implant-associated anaplastic large cell lymphoma
New term	9717/3	Monomorphic epitheliotropic intestinal T-cell lymphoma
Behavior code change $(3 \rightarrow 1)$	9718/ 1	Lymphomatoid papulosis (C44)
Behavior code change (3→1)	9725/ 1	Hydroa vacciniforme-like lymphoproliferative disorder
New behavior code and term	9738/ 1	HHV8-positive germinotropic lymphoproliferative disorder
New code and term	9749/3	Erdheim-Chester disease
Behavior code change (3→1)	9751/ 1	Langerhans cell histiocytosis, NOS Langerhans cell histiocytosis, monostotic Langerhans cell histiocytosis, polystotic
New behavior code and term	9761/ 1	IgM monoclonal gammopathy of undetermined significance
New term	9765/1	Non-IgM monoclonal gammopathy of undetermined significance
New term	9766/1	Lymphomatoid granulomatosis, grade 1, 2
New behavior code and term	9766 /3	Lymphomatoid granulomatosis, grade 3
New term	9769/1	Light chain and heavy chain deposition diseases Monoclonal immunoglobulin deposition diseases
New term	9807/3	Mixed-phenotype acute leukaemia with t(v; 11q23.3); KMT2A-rearranged
New term	9811/3	B-lymphoblastic leukaemia/lymphoma with iAMP21
New term	9813/3	B-lymphoblastic leukaemia/lymphoma with t(v; 11q23.3); KMT2A-rearranged
New code and term	9819/3	B-lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
New behavior code and term	9823/ 1	Monoclonal B-cell lymphocytosis, CLL-type
New term	9840/3	Pure erythroid leukaemia
New term	9869/3	AML with inv(3)(q21.3q26.2) or t(3;3)(q21.3;q26.2); GATA2, MECOM
New code and term	9877/3	AML with mutated NPM1 [originally 9861/3]
New code and term	9878/3	AML with biallelic mutation of CEBPA [originally 9861/3]

Status	ICD-O-3	Term
New code and term	9879/3	AML with mutated RUNX1
New term	9897/3	AML with t(9;11)(p21.3;q23.3); KMT2A-MLLT3
New code and term	9912/3	AML with BCR-ABL1
New term	9966/3	Myeloid/ Iymphoid neoplasms with PDGFRB
New code and term	9968/3	Myeloid/lymphoid neoplasms with PCM1-JAK2
Behavior code change $(3 \rightarrow 1)$	9971/ 1	Polymorphic PTLD
New term	9980/3	Myelodysplastic syndrome with single lineage dysplasia
New term	9982/3	Myelodysplastic/myeloproliferative neoplasm with ring siderolasts and thrombocytosis Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
New term	9983/3	Myelodysplastic syndrome with excess blasts
New term	9985/3	Myelodysplastic syndrome with multilineage dysplasia
New code and term	9993/3	Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

說明:綠色網底表示為本次新增編碼與修訂敘述。